

Appendix 2

List (by ID Number) of References from which Geographic Data Were Extracted (hosted on <http://www.cabi.org/vetmedresource/>).

- 0 Estrada-Peña, A., Guglielmono, A.A., Bouattour, A., Camicas, J.L., Horak, I., Latif, A., Pegram, R., Preston, P., Walker, A.R., Barros-Battesti, D., Labruna, M., Venzal, J.M. and Nijhof, A. *The Distribution of Ticks in the Mediterranean Region: Part of the Virtual Tick Museum*. Produced for the European Union Project Integrated Consortium on Ticks and Tick-borne Diseases (ICTTD-3). Distributed in CD-ROM format and available on request from F.Jongejan@uu.nl.
- 11 Adaszek, L. and Winiarczyk, S. (2007) Epizootic situation of canine ehrlichiosis in the area of Lubelskie voivodship. *Annales Universitatis Mariae Curie-Skłodowska, Section DD, Medicina Veterinaria* 62, 65–72.
- 18 Aguirre, E., Tesouro, M.A., Amusatogui, I., Rodriguez-Franco, F. and Sainz, A. (2004) Assessment of feline ehrlichiosis in central Spain using serology and a polymerase chain reaction technique. *Impact of Ecological Changes on Tropical Animal Health and Disease Control* 1026, 103–105.
- 19 Akalin, H., Helvacı, S. and Gedikoglu, S. (2009) Re-emergence of tularemia in Turkey. *International Journal of Infectious Diseases* 13, 547–551.
- 21 Aktas, M., Altay, K. and Dumanli, N. (2006) PCR-based detection of *Theileria ovis* in *Rhipicephalus bursa* adult ticks. *Veterinary Parasitology* 140, 259–263.
- 22 Aktas, M., Altay, K. and Dumanli, N. (2006) A molecular survey of bovine *Theileria* parasites among apparently healthy cattle and with a note on the distribution of ticks in eastern Turkey. *Veterinary Parasitology* 138, 179–185.
- 23 Aktas, M., Altay, K. and Dumanli, N. (2007) Determination of prevalence and risk factors for infection with *Babesia ovis* in small ruminants from Turkey by polymerase chain reaction. *Parasitology Research* 100, 797–802.
- 24 Aktas, M., Altay, K., Dumanli, N. and Kalkan, A. (2009) Molecular detection and identification of *Ehrlichia* and *Anaplasma* species in ixodid ticks. *Parasitology Research* 104, 1243–1248.
- 25 Aktas, M. and Dumanli, N. (2000) Subclinical *Babesia equi* (Laveran, 1901) and *Babesia caballi* (Nuttall, 1910) infections in horses in the Sultansuyu Agriculture Unit in Malatya. *Acta Parasitologica Turcica* 24, 55–56.
- 26 Aktas, M., Vatansver, Z., Altay, K., Aydin, M.F. and Dumanli, N. (2010) Molecular evidence for *Anaplasma phagocytophilum* in *Ixodes ricinus* from Turkey. *Transactions of Royal Society of Tropical Medicine and Hygiene* 104, 10–15.
- 28 Alberti, A., Zobba, R., Chessa, B., Addis, M.F., Sparagano, O., Parpaglia, M.L.P., Cubeddu, T., Pintori, G. and Pittau, M. (2005) Equine and canine *Anaplasma phagocytophilum* strains isolated on the island of Sardinia (Italy) are phylogenetically related to pathogenic strains from the United States. *Applied and Environmental Microbiology* 71, 6418–6422.
- 31 Aldea-Mansilla, C., Nebreda, T., García de Cruz, S., Dodero, E., Escudero, R., Anda, P. and Campos, Á. (2010) Tularemia: una década en la provinciade Soria [Tularemia: a decade in the province of Soria (Spain).] *Enfermedades Infecciosas y Microbiología Clínica* 28, 21–26.
- 32 Aldemir, O.S. (2007) Epidemiological study of ectoparasites in dogs from Erzurum region in Turkey. *Revue de Médecine Vétérinaire* 158, 148–151.
- 34 Alekseev, A.N., Dubinina, H.V., Jaaskelainen, A.E., Vapalahti, O. and Vaheri, A. (2007) First report on tick-borne pathogens and exoskeleton anomalies in *Ixodes persulcatus* Schulze (Acari: Ixodidae) collected in Kokkola Coastal Region, Finland. *International Journal of Acarology* 33, 253–258.
- 35 Alekseev, A.N., Dubinina, H.V., Van De Pol, I. and Schouls, L.M. (2001) Identification of *Ehrlichia* spp. and *Borrelia burgdorferi* in *Ixodes* ticks in the Baltic regions of Russia. *Journal of Clinical Microbiology* 39, 2237–2242.
- 37 Alexandre, N., Santos, A.S., Nuncio, M.S., de Sousa, R., Boinas, F. and Bacellar, F. (2009) Detection of *Ehrlichia canis* by polymerase chain reaction in dogs from Portugal. *Veterinary Journal* 181, 343–344.
- 39 Allue, M., Ruiz Sopena, C., Gallardo, M.T., Mateos, L., Vian, E., García, M.J., Ramos, J., Berjon, A.C., Vina, M.C., García, M.P., Yáñez, J., González, L.C., Muñoz, T., Andrés, C., Tamames, S., Ruiz, C., Gómez Iglesias, L.A. and Castrodeza, J. (2008) Tularaemia outbreak in Castilla y Leon, Spain, 2007: an update. *Eurosurveillance* 13, 18–28.
- 40 Almeria, S., Castellá, J., Ferrer, D., Gutierrez, J.F., Estrada-Peña, A. and Sparagano, O. (2002) Reverse line blot hybridization used to identify hemoprotozoa in Minorcan cattle. In: *The Domestic Animal/Wildlife Interface: Issue for Disease Control, Conservation, Sustainable Food Production, and Emerging Diseases*. *Annals of the New York Academy of Sciences* 969, 78–82.

- 41 Almeria, S., Castellá, J., Ferrer, D., Ortuño, A., Estrada-Peña, A. and Gutierrez, J.F. (2001) Bovine piroplasms in Minorca (Balearic Islands, Spain): a comparison of PCR-based and light microscopy detection. *Veterinary Parasitology* 99, 249–259.
- 43 Alp, H.G. and Guveren, A.R. (2001) Determination of the seroprevalence of *Theileria annulata* and *Babesia bovis*. *Pendik Veteriner Mikrobiyoloji Dergisi* 32, 15–19.
- 44 Altay, K., Aktas, M. and Dumanli, N. (2007) *Theileria* infections in small ruminants in the East and Southeast Anatolia. *Türkiye Parazitoloji Dergisi* 31, 268–271.
- 45 Altay, K., Aktas, M. and Dumanli, N. (2008) Detection of *Babesia ovis* by PCR in *Rhipicephalus bursa* collected from naturally infested sheep and goats. *Research in Veterinary Science* 85, 116–119.
- 46 Altay, K., Aydin, M.F., Dumanli, N. and Aktas, M. (2008) Molecular detection of *Theileria* and *Babesia* infections in cattle. *Veterinary Parasitology* 158, 295–301.
- 49 Altobelli, A., Boemo, B., Mignozzi, K., Bandi, M., Floris, R., Menardt, G. and Cinco, M. (2008) Spatial Lyme borreliosis risk assessment in north-eastern Italy. *International Journal of Medical Microbiology* 298, 125–128.
- 52 Amusatogui, I., Sainz, A. and Tesouro, M.A. (2006) Serological evaluation of *Anaplasma phagocytophilum* infection in livestock in northwestern Spain. In: *Century of Rickettsiology: Emerging, Reemerging Rickettsioses, Molecular Diagnostics, and Emerging Veterinary Rickettsioses*. *Annals of the New York Academy of Sciences* 1078, 487–490.
- 53 Amusatogui, I., Tesouro, M.A., Kakoma, I. and Sainz, A. (2008) Serological reactivity to *Ehrlichia canis*, *Anaplasma phagocytophilum*, *Neorickettsia risticii*, *Borrelia burgdorferi* and *Rickettsia conorii* in dogs from northwestern Spain. *Vector-Borne and Zoonotic Diseases* 8, 797–803.
- 59 Ardeleanu, D., Neacsu, G.M., Pivoda, C.A. and Enciu, A. (2003) Structure of polyparasitism on sheep in Dobrudja. *Buletinul Universitatii de Stiinta Agricole si Medicina Veterinara Cluj-Napoca, Seria Medicina Veterinara* 60, 28–32.
- 62 Aslantas, O., Kilic, S. and Cayal, H. (2005) Seroprevalence of *Ehrlichia canis* antibodies in Turkey. *Indian Veterinary Journal* 82, 1246–1247.
- 69 Aydin, L., Prelosov, P., Bakirci, S. and Senlik, B. (2006) Ixodid ticks on cattle and sheep in south-eastern Bulgaria. *Indian Veterinary Journal* 83, 802–802.
- 72 Bajer, A., Pawelczyk, A., Behnke, J.M., Gilbert, F.S. and Sinski, E. (2001) Factors affecting the component community structure of haemoparasites in bank voles (*Clethrionomys glareolus*) from the Mazury Lake District region of Poland. *Parasitology* 122, 43–54.
- 76 Baptista, S., Quaresma, A., Aires, T., Kurtenbach, K., Santos-Reis, M., Nicholson, M. and Collares-Pereira, M. (2004) Lyme borreliosis spirochetes in questing ticks from mainland Portugal. *International Journal of Medical Microbiology* 293, 109–116.
- 77 Barandika, J.F., Berriatua, E., Barral, M., Juste, R.A., Anda, P. and García-Pérez, A.L. (2006) Risk factors associated with ixodid tick species distributions in the Basque region in Spain. *Medical and Veterinary Entomology* 20, 177–188.
- 78 Barandika, J.F., Hurtado, A., García-Esteban, C., Gil, H., Escudero, R., Barral, M., Jado, I., Juste, R.A., Anda, P. and García-Pérez, A.L. (2007) Tick-borne zoonotic bacteria in wild and domestic small mammals in northern Spain. *Applied and Environmental Microbiology* 73, 6166–6171.
- 79 Barandika, J.F., Hurtado, A., García-Sanmartín, J., Juste, R.A., Anda, P. and García-Pérez, A.L. (2008) Prevalence of tick-borne zoonotic bacteria in questing adult ticks from northern Spain. *Vector-Borne and Zoonotic Diseases* 8, 829–835.
- 80 Barral, M., García-Pérez, A.L., Juste, R.A., Hurtado, A., Escudero, R., Sellek, R.E. and Anda, P. (2002) Distribution of *Borrelia burgdorferi sensu lato* in *Ixodes ricinus* (Acari: Ixodidae) ticks from the Basque Country, Spain. *Journal of Medical Entomology* 39, 177–184.
- 83 Barutzki, D. and Reule, M. (2007) Canine babesiosis in Germany. *Tierärztliche Umschau* 62, 6–10.
- 85 Batmaz, H., Nevo, E., Waner, T., Senturk, S., Yilmaz, Z. and Harrus, S. (2001) Seroprevalence of *Ehrlichia canis* antibodies among dogs in Turkey. *Veterinary Record* 148, 665–666.
- 87 Bazovska, S., Machacova, E., Spalekova, M. and Kontrosova, S. (2005) Reported incidence of Lyme disease in Slovakia and antibodies to *B. burgdorferi* antigens detected in healthy population. *Bratislavské Lekárske Listy* 106, 270–273.
- 88 Beck, R., Vojta, L., Mrjak, V., Marinculic, A., Beck, A., Zivicnjak, T. and Caccio, S.M. (2009) Diversity of *Babesia* and *Theileria* species in symptomatic and asymptomatic dogs in Croatia. *International Journal for Parasitology* 39, 843–848.
- 91 Bellido-Casado, J., Pérez-Castrillón, J.L., Bachiller-Luque, P., Martín-Luquero, M., Mena-Martín, F.J. and Herreros-Fernández, V. (2000) Report on five cases of tularaemic pneumonia in a tularaemia outbreak in Spain. *European Journal of Clinical Microbiology and Infectious Diseases* 19, 218–220.

- 93 Beltrame, A., Ruscio, M., Arzese, A., Rorato, G., Negri, C., Londero, A., Crapis, M., Scudeller, L. and Viale, P. (2006) Human granulocytic anaplasmosis in northeastern Italy. In: *Century of Rickettsiology: Emerging, Reemerging Rickettsioses, Molecular Diagnostics, and Emerging Veterinary Rickettsioses. Annals of the New York Academy of Sciences* 1078, 106–109.
- 95 Bernabeu-Wittel, M., del Toro, M.D., Nogueras, M.M., Muniain, M.A., Cardeñosa, N., Segura, F. and Pachón, J. (2006) Presence of human past infections due to the Bar29 rickettsial strain in southern Spain. *Journal of Infection* 52, 117–119.
- 96 Bernasconi, M.V., Casati, S., Peter, O. and Piffaretti, J.C. (2002) *Rhipicephalus* ticks infected with *Rickettsia* and *Coxiella* in southern Switzerland (Canton Ticino). *Infection, Genetics and Evolution* 2, 111–120.
- 98 Bertolotti, L., Tomassone, L., Tramuta, C., Grego, E., Amore, G., Ambrogio, C., Nebbia, P. and Mannelli, A. (2006) *Borrelia lusitaniae* and spotted fever group rickettsiae in *Ixodes ricinus* (Acari : Ixodidae) in Tuscany, central Italy. *Journal of Medical Entomology* 43, 159–165.
- 101 Bhide, M., Yilmaz, Z., Golcu, E., Torun, S. and Mikula, I. (2008) Seroprevalence of anti-*Borrelia burgdorferi* antibodies in dogs and horses in Turkey. *Annals of Agricultural and Environmental Medicine* 15, 85–90.
- 102 Biadun, W. (2008) Habitat preferences of the common tick *Ixodes ricinus* L. in Lublin region. *Wiadomości Parazytologiczne* 54, 117–122.
- 103 Biadun, W., Chybowski, J. and Najda, N. (2007) A new record of *Dermacentor reticulatus* (Fabricius, 1794) in Lublin region. *Wiadomości Parazytologiczne* 53, 29–32.
- 104 Biadun, W. and Krasnodebski, S. (2007) Occurrence of the common tick *Ixodes ricinus* L. in environments of various degree and character of anthropogenic impact. *Wiadomości Parazytologiczne* 53, 133–139.
- 105 Biadun, W., Rzymowska, J., Stepien-Rukasz, H., Niemczyk, M. and Chybowski, J. (2007) Occurrence of *Borrelia burgdorferi sensu lato* in *Ixodes ricinus* and *Dermacentor reticulatus* ticks collected from roe deer and deer shot in the south-east of Poland. *Bulletin of the Veterinary Institute in Pulawy* 51, 213–217.
- 107 Bilski, B. (2009) Occurrence of cases of borreliosis certified as an occupational disease in the province of Wielkopolska (Poland). *Annales of Agricultural and Environmental Medicine* 16, 211–217.
- 110 Bitam, I., Parola, P., Matsumoto, K., Rolain, J.M., Baziz, B., Boubidi, S.C., Harrat, Z., Belkaid, M. and Raoult, D. (2006) First molecular detection of *R. conorii*, *R. aeschlimannii*, and *R. massiliae* in ticks from Algeria. In: *Century of Rickettsiology: Emerging, Reemerging Rickettsioses, Molecular Diagnostics, and Emerging Veterinary Rickettsioses. Annals of the New York Academy of Sciences* 1078, 368–372.
- 112 Bjoersdorff, A., Wittesjo, B., Berglund, J., Massung, R.F. and Eliasson, I. (2002) Human granulocytic ehrlichiosis as a common cause of tick-associated fever in southeast Sweden: report from a prospective clinical study. *Scandinavian Journal of Infectious Diseases* 34, 187–191.
- 114 Blaschitz, M., Narodoslavsky-Gfoeller, M., Kanzler, M., Walochnik, J. and Stanek, G. (2008) *Borrelia burgdorferi sensu lato* genospecies in questing *Ixodes ricinus* ticks in Austria. *International Journal of Medical Microbiology* 298, 168–176.
- 115 Blaschitz ,M., Narodoslavsky-Gfoller, M., Kanzler, M., Stanek, G. and Walochnik, J. (2008) *Babesia* species occurring in Austrian *Ixodes ricinus* ticks. *Applied and Environmental Microbiology* 74, 4841–4846.
- 117 Bodaan, C., Nihof, A.M., Postigo, M., Nieuwenhuijs, H., Opsteegh, M., Franssen, L., Jebbink, F., Jansen, S. and Jongejan, F. (2007) Ticks and tick borne pathogens in domestic animals in the Netherlands. *Tijdschrift voor Diergeneeskunde* 132, 517–523.
- 118 Bogdaszewska, Z. (2004) Range and ecology of *Dermacentor reticulatus* (Fabricius, 1794) in Mazuria focus. *Wiadomości Parazytologiczne* 50, 727-730
- 120 Bogdaszewska Z, 2005. Range and ecology of *Dermacentor reticulatus* (Fabricius, 1794) in Mazuria focus. IV. Host specificity. *Wiadomości Parazytologiczne* 51, 39–42.
- 122 Boinas, F.S., Hutchings, G.H., Dixon, L.K. and Wilkinson, P.J. (2004) Characterization of pathogenic and non-pathogenic African swine fever virus isolates from *Ornithodoros erraticus* inhabiting pig premises in Portugal. *Journal of General Virology* 85, 2177–2187.
- 124 Boldis, V., Kocianova, E., Strus, J., Tusek-Znidaric, M., Sparagano, O.A.E. Stefanidesova, K. and Spitalska, E. (2008) Rickettsial agents in Slovakian ticks (Acarina, Ixodidae) and their ability to grow in Vero and L929 cell lines. In: *Animal Biodiversity and Emerging Diseases: Prediction and Prevention. Annals of the New York Academy of Sciences* 1149, 281–285.
- 125 Boretti, F.S., Perreten, A., Meli, M.L., Cattori, V., Willi, V.B., Wengi, N., Hornok, S., Honegger, H., Hegglin, D., Woelfel, R., Reusch, C.E., Lutz, H. and Hofmann-Lehmann, R. (2009) Molecular investigations of *Rickettsia helvetica* infection in dogs, foxes, humans, and *Ixodes* ticks. *Applied and Environmental Microbiology* 75, 3230–3237.
- 126 Bormane, A., Lucenko, I., Duks, A., Mavtchoutko, V., Ranka, R., Salmina, K. and Baumanis, V. (2004) Vectors of tick-borne diseases and epidemiological situation in Latvia in 1993–2002. *International Journal of Medical Microbiology* 293, 36–47.

- 129 Boulkaboul, A. (2003) Parasitism of cattle ticks (Ixodidae) in Tiaret, Algeria. *Revue d'Élevage et de Médecine Vétérinaire des Pays Tropicaux* 56, 157–162.
- 131 Bown, K.J., Lambin, X., Telford, G.R., Ogden, N.H., Telfer, S., Woldehiwet, Z. and Birtles, R.J. (2008) Relative importance of *Ixodes ricinus* and *Ixodes trianguliceps* as vectors for *Anaplasma phagocytophilum* and *Babesia microti* in field vole (*Microtus agrestis*) populations. *Applied and Environmental Microbiology* 74, 7118–7125.
- 132 Boyard, C., Barnouin, J., Gasqui, P. and Vourch, G. (2007) Local environmental factors characterizing *Ixodes ricinus* nymph abundance in grazed permanent pastures for cattle. *Parasitology* 134, 987–994.
- 134 Bray, D.P., Bown, K.J., Stockley, P., Hurst, J.L., Bennett, M. and Birtles, R.J. (2007) Haemoparasites of common shrews (*Sorex araneus*) in northwest England. *Parasitology* 134, 819–826.
- 138 Bukowska, K., Kosik-Bogacka, D. and Kuzna-Grygiel, W. (2003) The occurrence of *Borrelia burgdorferi sensu lato* in the populations of *Ixodes ricinus* in forest areas of Szczecin during 2000–2001. *Annals of Agricultural and Environmental Medicine* 10, 5–8.
- 140 Bullova, E., Lukan, M., Stanko, M. and Pet'ko, B. (2009) Spatial distribution of *Dermacentor reticulatus* tick in Slovakia in the beginning of the 21st century. *Veterinary Parasitology* 165, 357–360.
- 143 Cadenas, F.M., Rais, O., Humair, P.F., Douet, V., Moret, J. and Gern, L. (2007) Identification of host bloodmeal source and *Borrelia burgdorferi s. l.* in field-collected *Ixodes ricinus* ticks in Chaumont (Switzerland). *Journal of Medical Entomology* 44, 1109–1117.
- 145 Calisir, B., Polat, E., Guney, G. and Gonenc, L. (2000) Investigation on the species composition of the ixodid ticks from Belgrade forest in Istanbul and their role as vectors of *Borrelia burgdorferi*. *Acta Zoologica Bulgarica* 52, 23–28.
- 146 Camacho, A.T., Guitian, F.J., Pallas, E., Gestal, J.J., Olmeda, A.S., Habela, M.A., Telford, S.R. III and Spielman, A. (2005) *Theileria (Babesia) equi* and *Babesia caballi* infections in horses in Galicia, Spain. *Tropical Animal Health and Production* 37, 293–302.
- 156 Carelli, G., Decaro, N., Lorusso, E., Paradies, P., Elia, G., Martella, V., Buonavoglia, C. and Ceci, L. (2008) First report of bovine anaplasmosis caused by *Anaplasma centrale* in Europe. In: *Animal Biodiversity and Emerging Diseases: Prediction and Prevention*. *Annals of the New York Academy of Sciences* 1149, 107–110.
- 157 Carelli, G., Sparagano, O. and Ceci, L. (2000) Identification of *Ehrlichia phagocytophila* and *Babesia major* in cattle in southern Italy using reverse line blot. In: *2nd Congresso Nazionale della Società Italiana di Diagnostica di Laboratorio Veterinaria e 1st Congresso Nazionale dell'Associazione Italiana di Epidemiologia Veterinaria, Palermo, Italy, 18–20 Novembre 1999*. *Selezione Veterinaria (Supplemento)* 2000, 1121–1125.
- 158 Carpi, G., Bertolotti, L., Pecchioli, E., Cagnacci, F. and Rizzoli, A. (2009) *Anaplasma phagocytophilum* groEL gene heterogeneity in *Ixodes ricinus* larvae feeding on roe deer in northeastern Italy. *Vector-Borne and Zoonotic Diseases* 9, 179–184.
- 160 Carpi, G., Cagnacci, F., Neteler, M. and Rizzoli, A. (2008) Tick infestation on roe deer in relation to geographic and remotely sensed climatic variables in a tick-borne encephalitis endemic area. *Epidemiology and Infection* 136, 1416–1424.
- 163 Casati, S., Bernasconi, M.V., Gern, L., Piffaretti, J.C. (2004) Diversity within *Borrelia burgdorferi sensu lato* genospecies in Switzerland by *recA* gene sequence. *FEMS Microbiology Letters* 238, 115–123.
- 165 Casati, S., Gern, L. and Piffaretti, J.C. (2006) Diversity of the population of tick-borne encephalitis virus infecting *Ixodes ricinus* ticks in an endemic area of central Switzerland (Canton Bern). *Journal of General Virology* 87, 2235–2241.
- 166 Casati, S., Sager, H., Gern, L. and Piffaretti, J.C. (2006) Presence of potentially pathogenic *Babesia* sp for human in *Ixodes ricinus* in Switzerland. *Annals of Agricultural and Environmental Medicine* 13, 65–70.
- 171 Cerny, Z. (2001) Changes of the epidemiology and the clinical picture of tularemia in southern Moravia (the Czech Republic) during the period 1936–1999. *European Journal of Epidemiology* 17, 637–642.
- 172 Cetin, E., Sotoudeh, M., Auer, H. and Stanek, G. (2006) Paradigm Burgenland: risk of *Borrelia burgdorferi sensu lato* infection indicated by variable seroprevalence rates in hunters. *Wiener Klinische Wochenschrift* 118, 677–681.
- 177 Chitimia, L., Cosoroaba, I. and Sarbu, M. (2005) Ixodid ticks ecology in Bogda area – Timis County. *Revista Romana de Medicina Veterinara* 15, 111–120.
- 178 Chmielewska-Badora, J., Cisak, E., Zwoliński, J. and Dutkiewicz, J. (2003) [Evaluation of occurrence of spirochetes *Borrelia burgdorferi sensu lato* in *Ixodes ricinus* ticks in selected areas of the Lublin region by polymerase chain reaction method (PCR).] *Wiadomości Parazytologiczne* 49, 165–171.
- 179 Chmielewska-Badora, J., Zwoliński, J., Cisak, E., Wójcik-Fatla, A., Buczek, A. and Dutkiewicz, J. (2007) Prevalence of *Anaplasma phagocytophilum* in *Ixodes ricinus* ticks determined by polymerase chain reaction with two pairs of primers detecting 16S rRNA and *ankA* genes. *Annals of Agricultural and Environmental Medicine* 14, 281–285.

- 184 Christova, I., Schouls, L., van de Pol, I., Park, J., Panayotov, S., Lefterova, V., Kantardjiev, T. and Dumler, J.S. (2001) High prevalence of granulocytic ehrlichiae and *Borrelia burgdorferi sensu lato* in *Ixodes ricinus* ticks from Bulgaria. *Journal of Clinical Microbiology* 39, 4172–4174.
- 185 Christova, I., van de Pol, J., Yazar, S., Velo, E. and Schouls, L. (2003) Identification of *Borrelia burgdorferi sensu lato*, *Anaplasma* and *Ehrlichia* species, and spotted fever group rickettsiae in ticks from southeastern Europe. *European Journal of Clinical Microbiology and Infectious Diseases* 22, 535–542.
- 186 Cicek, H., Duzgun, A., Emre, Z.A. and Karaer, Z. (2004) Seroprevalence of *Babesia ovis* in sheep around Afyon. *Turkish Journal of Veterinary and Animal Sciences* 28, 683–686.
- 188 Cicek, H., Karatepe, M., Cakir, M. and Eser, M. (2009) Blood parasites detected from Anatolian squirrel, *Spermophilus xanthophrymnus* (Rodentia:Sciuridae) in Nigde province, Turkey. *Ankara Universitesi Veteriner Fakultesi Dergisi* 56, 147–148.
- 190 Cieniuch, S., Stanczak, J. and Ruczaj, A. (2009) The first detection of *Babesia* EU1 and *Babesia canis canis* in *Ixodes ricinus* ticks (Acari, Ixodidae) collected in urban and rural areas in northern Poland. *Polish Journal of Microbiology* 58, 231–236.
- 191 Cinco, M., Floris, R., Menardi, G., Boemo, B., Mignozzi, K. and Altobelli, A. (2008) Spatial pattern of risk exposure to pathogens transmitted by *Ixodes ricinus* in north-eastern Italy and the Italy/Slovenia transborder territory. *International Journal of Medical Microbiology* 298, 211–217.
- 192 Cisak, E., Chmielewska-Badora, J., Rajtar, B., Zwoliński, J., Jablonski, L. and Dutkiewicz, J. (2002) Study on the occurrence of *Borrelia burgdorferi sensu lato* and tick-borne encephalitis virus (TBEV) in ticks collected in Lublin region (eastern Poland). *Annals of Agricultural and Environmental Medicine* 9, 105–110.
- 193 Cisak, E., Chmielewska-Badora, J., Zwoliński, J., Dutkiewicz, J. and Patorka-Mach, E. (2003) The incidence of tick-borne encephalitis virus and *Borrelia burgdorferi* infections in farmers of the Lublin province. *Medycyna Pracy* 54, 139–144.
- 194 Cisak, E., Chmielewska-Badora, J., Zwoliński, J., Wójcik-Fatla, A., Polak, J. and Dutkiewicz, J. (2005) Risk of tick-borne bacterial diseases among workers of Roztocze National Park (south-eastern Poland). *Annals of Agricultural and Environmental Medicine* 12, 127–132.
- 196 Cisak, E., Wójcik-Fatla, A., Stojek, N.M., Chmielewska-Badora, J., Zwoliński, J., Buczek, A. and Dutkiewicz, J. (2006) Prevalence of *Borrelia burgdorferi* genospecies in *Ixodes ricinus* ticks from Lublin region (eastern Poland). *Annals of Agricultural and Environmental Medicine* 13, 301–306.
- 198 Coipan, E.C., Vladimirescu, E.F., Arsene, M. and Nastase, S. (2007) Climate variables influence on the questing activity of *Ixodes ricinus* ticks in Tulcea County. *Lucrari Stiintifice – Medicina Veterinara, Universitatea de Stiinta Agricole si Medicina Veterinara “Ion Ionescu de la Brad” Iasi* 51, 267–274.
- 201 Comin, D., Viel, L., Milone, N.F., Benedetti, G., Somnavilla, G. and Capelli, G. (2007) Domestic and wild animal sentinel populations in the spread of *Borrelia burgdorferi sensu lato* and TBE in the territory of Belluno. *Large Animal Review* 13, 217–220.
- 207 Cringoli, G., Otranto, D., Testini, G., Buono, V., Di Giulio, G., Traversa, D., Lia, R., Rinaldi, L., Veneziano, V. and Puccini, V. (2002) Epidemiology of bovine tick-borne diseases in southern Italy. *Veterinary Research* 33, 421–428.
- 209 Csango, P.A., Blakstad, E., Kirtz, G.C., Pedersen, J.E. and Czettel, B. (2004) Tick-borne encephalitis in southern Norway. *Emerging Infectious Diseases* 10, 533–534.
- 210 Csango, P.A., Pedersen, J.E. and Stamberg, P. (2006) Serological studies on sheep in an area where tickborne encephalitis has been reported. *Norsk Veterinærtidsskrift* 118, 606–607.
- 215 D’Agaro, P., Martinelli, E., Burgnich, P., Nazzi, F., Del Fabbro, S., Iob, A., Ruscio, M., Pischiutti, P. and Campello, C. (2009) Prevalence of tick-borne encephalitis virus in *Ixodes ricinus* from a novel endemic area of north eastern Italy. *Journal of Medical Virology*, 81, 309–316.
- 216 Daniel, M., Danielova, V., Kriz, B. and Kott, I. (2004) An attempt to elucidate the increased incidence of tick-borne encephalitis and its spread to higher altitudes in the Czech Republic. *International Journal of Medical Microbiology* 293, 55–62.
- 217 Daniel, M., Danielova, V., Kriz, B., Jirsa, A. and Nozicka, J. (2003) Shift of the tick *Ixodes ricinus* and tick-borne encephalitis to higher altitudes in Central Europe. *European Journal of Clinical Microbiology and Infectious Diseases* 22, 327–328.
- 220 Daniel, M., Materna, J., Honig, V., Metelka, L., Danielova, V., Harcarik, J., Kliegrova, S. and Grubhoffer, L. (2009) Vertical distribution of the tick *Ixodes ricinus* and tick-borne pathogens in the northern Moravian mountains correlated with climate warming (Jeseniky Mts., Czech Republic). *Central European Journal of Public Health* 17, 139–145.
- 222 Daniel, S.A., Manika, K., Arvanitidou, M. and Antoniadis, A. (2002) Prevalence of *Rickettsia conorii* and *Rickettsia typhi* infections in the population of northern Greece. *American Journal of Tropical Medicine and Hygiene* 66, 76–79.

- 224 Danielova, V., Daniel, M., Rudenko, N. and Golovchenko, M. (2004) Prevalence of *Borrelia burgdorferi sensu lato* genospecies in host-seeking *Ixodes ricinus* ticks in selected South Bohemian locations (Czech Republic). *Central European Journal of Public Health* 12, 151–156.
- 225 Danielova, V., Daniel, M., Schwarzova, L., Materna, J., Rudenko, N., Golovchenko, M., Holubova, J., Grubhoffer, L. and Kilian, P. (2009) Integration of a tick-borne encephalitis virus and *Borrelia burgdorferi sensu lato* into mountain ecosystems, following a shift in the altitudinal limit of distribution of their vector, *Ixodes ricinus* (Krkonoše Mountains, Czech Republic). *Vector-Borne and Zoonotic Diseases* 10, 223–230.
- 226 Danielova, V., Holubova, J. and Daniel, M. (2002) Tick-borne encephalitis virus prevalence in *Ixodes ricinus* ticks collected in high risk habitats of the South-Bohemian region of the Czech Republic. *Experimental and Applied Acarology* 26, 145–151.
- 227 Danielova, V., Kliegrova, S., Daniel, M. and Benes, C. (2008) Influence of climate warming on tick-borne encephalitis expansion to higher altitudes over the last decade (1997–2006) in the highland region (Czech Republic). *Central European Journal of Public Health* 16, 4–11.
- 230 Danielova, V., Rudenko, N., Daniel, M., Holubova, J., Materna, J., Golovchenko, M. and Schwarzova, L. (2006) Extension of *Ixodes ricinus* ticks and agents of tick-borne diseases to mountain areas in the Czech Republic. *International Journal of Medical Microbiology* 296, 48–53.
- 236 Dautel, H., Dippel, C., Oehme, R., Hartelt, K. and Schettler, E. (2006) Evidence for an increased geographical distribution of *Dermacentor reticulatus* in Germany and detection of *Rickettsia* sp RpA4. *International Journal of Medical Microbiology* 296, 149–156.
- 238 Lopes de Carvalho, I., Milhano, N., Santos, A.S., Almeida, V., Barros, S.C., de Sousa, R. and Nuncio, M.S. (2008) Detection of *Borrelia lusitanae*, *Rickettsia* sp IRS3, *Rickettsia monacensis*, and *Anaplasma phagocytophilum* in *Ixodes ricinus* collected in Madeira Island, Portugal. *Vector-Borne and Zoonotic Diseases* 8, 575–579.
- 241 de la Fuente, J., Ruiz-Fons, F., Naranjo, V., Torina, A., Rodriguez, O. and Gortazar, C. (2008) Evidence of *Anaplasma* infections in European roe deer (*Capreolus capreolus*) from southern Spain. *Research in Veterinary Science* 84, 382–386.
- 242 de la Fuente, J., Torina, A., Caracappa, S., Tumino, G., Furla, R., Almazan, C. and Kocan, K.M. (2005) Serologic and molecular characterization of *Anaplasma* species infection in farm animals and ticks from Sicily. *Veterinary Parasitology* 133, 357–362.
- 243 de la Fuente, J., Torina, A., Naranjo, V., Caracappa, S., Di Marco, V., Alongi, A., Russo, M., Maggio, A.R. and Kocan, K.M. (2005) Infection with *Anaplasma phagocytophilum* in a seronegative patient in Sicily, Italy: case report. *Annals of Clinical Microbiology and Antimicrobials* 4: 5, doi:10.1186/1476-0711-4-15.
- 244 de la Fuente, J., Torina, A., Naranjo, V., Caracappa, S., Vicente, J., Mangold, A.J., Vicari, D., Alongi, A., Scimeca, S. and Kocan, K.M. (2005) Genetic diversity of *Anaplasma marginale* strains from cattle farms in the province of Palermo, Sicily. *Journal of Veterinary Medicine Series B – Infectious Diseases and Veterinary Public Health* 52, 226–229.
- 245 de la Fuente, J., Torina, A., Naranjo, V., Nicosia, S., Alongi, A., La Mantia, F. and Kocan, K.M. (2006) Molecular characterization of *Anaplasma platys* strains from dogs in Sicily, Italy. *BMC Veterinary Research* 2:24, doi:10.1186/1746-6148-2-24.
- 246 de la Fuente, J., Vicente, J., Höfle, U., Ruiz-Fons, F., Fernández de Mera, I.G.F., Van Den Bussche, R.A., Kocan, K.M. and Gortazar, C. (2004) *Anaplasma* infection in free-ranging Iberian red deer in the region of Castilla-La Mancha, Spain. *Veterinary Microbiology* 100, 163–173.
- 250 Kilinc, G.D., Gurcan, S., Eskiocak, M., Kilic, H. and Kunduracilar, H. (2007) [Investigation of tularemia seroprevalence in the rural area of Thrace region in Turkey.] *Mikrobiyoloji Bulteni* 41, 411–418.
- 252 Demirci, M., Yorgancgil, B., Tahan, V. and Arda, M. (2001) Lyme disease seropositivity in people with history of tick bite in the Isparta Region of Turkey. *Turkish Journal of Infection* 15, 17–20.
- 254 Deniz, A. and Karaer, Z. (2006) Comparative studies on detection of bovine *Theileria* species by reverse line blotting and indirect fluorescent antibody test. *Etlik Veteriner Mikrobiyoloji Dergisi* 17, 43–54.
- 255 Derdakova, M., Beati, L., Pet'ko, B., Stanko, M. and Fish, D. (2003) Genetic variability within *Borrelia burgdorferi sensu lato* genospecies established by PCR-single-strand conformation polymorphism analysis of the *rrfA-rrlB* intergenic spacer in *Ixodes ricinus* ticks from the Czech Republic. *Applied and Environmental Microbiology* 69, 509–516.
- 256 Derdakova, M., Halanova, M., Stanko, M., Stefancikova, A., Cislakova, L. and Pet'ko, B. (2003) Molecular evidence for *Anaplasma phagocytophilum* and *Borrelia burgdorferi sensu lato* in *Ixodes ricinus* ticks from eastern Slovakia. *Annals of Agricultural and Environmental Medicine* 10, 269–271.
- 258 Deutz, A., Fuchs, K., Schuller, W., Nowotny, N., Auer, H., Aspöck, H., Stunzner, E., Kerbl, U., Klement, C. and Kofer, J. (2003) [Seroepidemiological studies of zoonotic infections in hunters in southeastern Austria – prevalences, risk factors, and preventive methods.] *Berliner und Münchener Tierärztliche Wochenschrift* 116, 306–311.

- 259 Deutz, A., Guggenberger, T., Gasteiner, J., Steineck, T., Bago, Z., Hofer, E., Auer, I. and Bhom, R. (2009) Investigation of the prevalence of tularaemia under the aspect of climate change. *Wiener Tierärztliche Monatsschrift* 96, 107–113.
- 261 Devos, J. and Geysen, D. (2004) Epidemiological study of the prevalence of *Babesia divergens* in a veterinary practice in the mid-east of France. *Veterinary Parasitology* 125, 237–249.
- 262 Dhote, R., Basse-Guerineau, A.L., Beaumesnil, V., Christoforov, B. and Assous, M.V. (2000) Full spectrum of clinical, serological, and epidemiological features of complicated forms of Lyme borreliosis in the Paris, France, area. *European Journal of Clinical Microbiology and Infectious Diseases* 19, 809–815.
- 264 Dobec, M., Golubić, D., Punda-Polić, V., Kaeppli, F. and Sievers, M. (2009) *Rickettsia helvetica* in *Dermacentor reticulatus* ticks. *Emerging Infectious Diseases* 15, 98–100.
- 265 Dobler, G., Essbauer, S., Terzioglu, R., Thomas, A. and Wolfel, R. (2008) [Prevalence of tick-borne encephalitis virus and rickettsiae in ticks of the district Burgenland, Austria.] *Wiener Klinische Wochenschrift* 120, 45–48.
- 267 Dobracki, W., Dobracka, B., Paczosa, W., Zieba, J. and Beres, P. (2007) [Epidemiology of borreliosis in workers of the district forestry offices in Lower Silesia.] *Przegląd Epidemiologiczny* 61, 385–391.
- 268 Dorn, W., Sunder, U., Steil, B. and Flugel, C. (2000) On the correlation of seasonal density and infection rate with *Borrelia burgdorferi sensu lato* in field collected ticks of the species *Ixodes ricinus* L. 1758 (Acari: Ixodidae) – a case study in the Free State of Thuringia (Germany). *Mitteilungen der Deutschen Gesellschaft für Allgemeine und Angewandte Entomologie* 12, 187–191.
- 270 Dreher, U.M., Hofmann-Lehmann, R., Meli, M.L., Regula, G., Cagienard, A.Y., Stark, K.D.C., Doherr, M.G., Filli, F., Hassig, M., Braun, U., Kocan, K.M. and Lutz, H. (2005) Seroprevalence of anaplasmosis among cattle in Switzerland in 1998 and 2003: no evidence of an emerging disease. *Veterinary Microbiology* 107, 71–79.
- 271 Dubska, L., Literak, I., Kocianova, E., Taragelova, V. and Sychram, O. (2009) Differential role of passerine birds in distribution of *Borrelia* spirochetes, based on data from ticks collected from birds during the postbreeding migration period in central Europe. *Applied and Environmental Microbiology* 75, 596–602.
- 272 Duda, A., Kasprzykowska, U. and Sobieszczanska, B. (2008) Non-specific arthralgia as the main manifestation of *Borrelia burgdorferi sensu lato* infection. *Advances in Clinical and Experimental Medicine* 17, 635–641.
- 277 Duh, D., Punda-Polić, V., Trilar, T. and Avšič-Županc, T. (2008) Molecular detection of *Theileria* sp in ticks and naturally infected sheep. *Veterinary Parasitology* 151, 327–331.
- 282 Dumanli, N., Aktas, M., Cetinkaya, B., Çakmak, A., Koroglu, E., Saki, C.E., Erdogmus, Z., Nalbantoglu, S., Ongor, H., Simsek, S., Karahan, M. and Altay, K. (2005) Prevalence and distribution of tropical theileriosis in eastern Turkey. *Veterinary Parasitology* 127, 9–15.
- 283 Dybowska, D., Koziellewicz, D., Abdulgater, A., Boreliozy, R., Lasów, W.P. and Kujawsko-Pomorskiego, W. (2007) [Prevalence of borreliosis among forestry workers in Kujawsko-Pomorskie voivodeship.] *Przegląd Epidemiologiczny* 61, 67–71.
- 284 Dzierzecka, M. (2002) Correlation between the presence of antibodies against *B. burgdorferi* and-the clinical signs of Lyme disease. *Medycyna Weterynaryjna* 58, 523–526.
- 285 Dzierzecka, M. and Kita, J. (2002) The use of chosen serological diagnostic methods in Lyme disease in horses. Part I. Indirect immunofluorescence and enzyme-linked immunosorbent assay (ELISA). *Polish Journal of Veterinary Sciences* 5, 71–77.
- 288 Ebani, V.V. and Andreani, E. (2002) Feline ehrlichiosis by *Ehrlichia canis*. Serological survey among cats of Tuscany. *Obiettivi e Documenti Veterinari* 23, 47–49.
- 291 El Haj, N., Kachani, M., Ouhelli, H., Bouslikhane, M., Ahami, A.T., El Guennouni, R., El Hasnaoui, M., Katende, J.M. and Morzaria, S.P. (2002) Epidemiological studies of *Babesia bigemina* infection in Morocco. *Revue de Médecine Vétérinaire* 153, 809–814.
- 295 El-Deeb, W. and Younis, E.E. (2009) Clinical and biochemical studies on *Theileria annulata* in Egyptian buffaloes (*Bubalus bubalis*) with particular orientation to oxidative stress and ketosis relationship. *Lucrari Stiintifice – Medicina Veterinara, Universitatea de Stiinte Agricole si Medicina Veterinara “Ion Ionescu de la Brad” Iasi* 52, 780–787.
- 297 Elfving, K., Lindblom, A. and Nilsson, K. (2008) Seroprevalence of *Rickettsia* spp. infection among tick-bitten patients and blood donors in Sweden. *Scandinavian Journal of Infectious Diseases* 40, 74–77.
- 300 Eliasson, H., Lindback, J., Nuorti, J.P., Arneborn, M., Giesecke, J. and Tegnell, A. (2002) The 2000 tularaemia outbreak: a case-control study of risk factors in disease-endemic and emergent areas, Sweden. *Emerging Infectious Diseases* 8, 956–960.
- 301 El-Masry, N.M., El-Dessouky, S.A. and Abo-Elkheir, S.A. (2006) Parasitological and biochemical studies on cattle theileriosis at Dakahlia Governorate with special reference to its control. *Assiut Veterinary Medical Journal* 52, 165–178.
- 302 Elston, D.A., Moss, R., Boulinier, T., Arrowsmith, C. and Lambin, C. (2001) Analysis of aggregation, a worked example: numbers of ticks on red grouse chicks. *Parasitology* 122, 563–569.

- 303 Emre, Z., Duzgun, A., Iriadam, M. and Sert, H. (2001) Seroprevalence of *Babesia ovis* in Awassi sheep in Urfa, Turkey. *Turkish Journal of Veterinary and Animal Sciences* 25, 759–762.
- 304 Engbaek, K. and Lawson, P.A. (2004) Identification of *Bartonella* species in rodents, shrews and cats in Denmark: detection of two *B. henselae* variants, one in cats and the other in the long-tailed field mouse. *Apmis* 112, 336–341.
- 308 Esen, B., Gozalan, A., Coplu, N., Tapar, F.S., Uzun, R., Aslan, T., Ertek, M., Buzgan, T. and Akin, L. (2008) The presence of tick-borne encephalitis in an endemic area for tick-borne diseases, Turkey. *Tropical Doctor* 38, 27–28.
- 315 Estrada-Peña, A., Osacar, J.J., Pichon, B. and Gray, J.S. (2005) Hosts and pathogen detection for immature stages of *Ixodes ricinus* (Acari: Ixodidae) in north-central Spain. *Experimental and Applied Acarology* 37, 257–268.
- 319 Etti, S., Hails, R., Schafer, S.M., De Michelis, S., Sewell, H.S., Bormane, A., Donaghy, M. and Kurtenbach, K. (2003) Habitat-specific diversity of *Borrelia burgdorferi sensu lato* in Europe, exemplified by data from Latvia. *Applied and Environmental Microbiology* 69, 3008–3010.
- 321 Everaert, D., Geysen, D., Brandt, J., Witters, J., Deprez, P. and Claerebout, E. (2007) First reported case of bovine babesiosis in Flanders. *Vlaams Diergeneeskundig Tijdschrift* 76, 208–215.
- 322 Farkas, R. and Foldvari, G. (2001) Examination of dogs' and cats' tick infestation in Hungary. *Magyar Allatorvosok Lapja* 123, 534–539.
- 323 Farkas, R., Foldvari, G., Fenyves, B., Kotai, I., Szilagyi, A. and Hegedus, G.T. (2004) First detection of small babesiae in two dogs in Hungary. *Veterinary Record* 154, 176–178.
- 324 Favia, G., Cancrini, G., Carfi, A., Grazioli, D., Lillini, E. and Iori, A. (2001) Molecular identification of *Borrelia valaisiana* and HGE-like *Ehrlichia* in *Ixodes ricinus* ticks sampled in north-eastern Italy: first report in Veneto region. *Parassitologia* 43, 143–146.
- 325 Fazii, P., Ballone, E., Ippolito, N., Cosentino, L., Clerico, L., Calella, G., Sforza, G.R. and Schioppa, F. (2000) Survey of Lyme Disease in Abruzzo (Italy). *International Journal of Immunopathology and Pharmacology* 13, 151–156.
- 327 Fernández-Soto, P., Díaz Martín, V., Pérez-Sánchez, R. and Encinas-Grandes, A. (2009) Increased prevalence of *Rickettsia aeschlimannii* in Castilla y Leon, Spain. *European Journal of Clinical Microbiology and Infectious Diseases* 28, 693–695.
- 328 Fernández-Soto, P., Encinas-Grandes, A. and Pérez-Sánchez, R. (2003) *Rickettsia aeschlimannii* in Spain: molecular evidence in *Hyalomma marginatum* and five other tick species that feed on humans. *Emerging Infectious Diseases* 9, 889–890.
- 330 Fernández-Soto, P., Pérez-Sánchez, R., Encinas-Grandes, A. and Alamo Sanz, R. (2006) *Rickettsia slovaca* in *Dermacentor* ticks found on humans in Spain. *European Journal of Clinical Microbiology and Infectious Diseases* 25, 129–131.
- 331 Ferquel, E., Garnier, M., Marie, J., Bernède-Bauduin, C., Baranton, G., Pérez-Eid, C. and Postic, D. (2006) Prevalence of *Borrelia burgdorferi sensu lato* and Anaplasmataceae members in *Ixodes ricinus* ticks in Alsace, a focus of Lyme borreliosis endemicity in France. *Applied and Environmental Microbiology* 72, 3074–3078.
- 332 Fingerle, V., Hettche, G., Hizo-Teufel, C. and Wilske, B. (2004) *Borrelia burgdorferi s.l.* OspA-types are widespread in Bavaria but show distinct local patterns. In: Proceedings of the VII International Potsdam Symposium on Tick-Borne Diseases. *International Journal of Medical Microbiology* 293(Suppl. 37), 165–166.
- 333 Fingerle, V., Schulte-Spechtel, U.C., Ruzic-Sabljic, E., Leonhard, S., Hofmann, H., Weber, K., Pfister, K., Strle, F. and Wilske, B. (2008) Epidemiological aspects and molecular characterization of *Borrelia burgdorferi s.l.* from southern Germany with special respect to the new species *Borrelia spielmanii* sp nov. *International Journal of Medical Microbiology* 298, 279–290.
- 334 Flisiak, R., Zalezny, W. and Prokopowicz, D. (2000) Evaluation of the relationship between humoral immunological response against *Borrelia burgdorferi* and exposure to ticks. *Medycyna Weterynaryjna* 56, 579–581.
- 336 Floris, R., Altobelli, A., Boemo, B., Mignozzi, K. and Cinco, M. (2006) First detection of TBE virus sequences in *Ixodes ricinus* from Friuli Venezia Giulia (Italy). *New Microbiologica* 29, 147–150.
- 337 Floris, R., Yurtman, A.N., Margoni, E.F., Mignozzi, K., Boemo, B., Altobelli, A. and Cinco, M. (2008) Detection and identification of *Rickettsia* species in the northeast of Italy. *Vector-Borne and Zoonotic Diseases* 8, 777–782.
- 340 Foldvari, G., Hell, E. and Farkas, R. (2005) *Babesia canis canis* in dogs from Hungary: detection by PCR and sequencing. *Veterinary Parasitology* 127, 221–226.
- 341 Foldvari, G., Maarialigeti, M., Solymosi, N., Lukacs, Z., Majoros, G., Kosa, J.P. and Farkas, R. (2007) Hard ticks infesting dogs in Hungary and their infection with *Babesia* and *Borrelia* species. *Parasitology Research* 101, 25–34.
- 344 Foldvari, G., Rigo, K., Majlathova, V., Majlath, I., Robert, F. and Pet'ko, B. (2009) Detection of *Borrelia burgdorferi sensu lato* in lizards and their ticks from Hungary. *Vector-Borne and Zoonotic Diseases* 9, 331–336.
- 345 Fomsgaard, A., Christiansen, C.B. and Bodker, R. (2009) First identification of tick-borne encephalitis in Denmark outside of Bornholm, August 2009. *Eurosurveillance* 14, 2–3.

- 346 Fournier, P.E., Durand, J.P., Rolain, J.M., Camicas, J.L., Tolou, H. and Raoult, D. (2003) Detection of Astrakhan fever rickettsia from ticks in Kosovo. In: *Rickettsiology: Present and Future Directions. Annals of the New York Academy of Sciences* 990, 158–161.
- 348 Fournier, P.E., Tissot-Dupont, H., Gallais, H. and Raoult, D. (2000) *Rickettsia mongolotimonae*: a rare pathogen in France. *Emerging Infectious Diseases* 6, 290–292.
- 350 Fraenkel, C.J., Garpmo, U. and Berglund, J. (2002) Determination of novel *Borrelia* genospecies in Swedish *Ixodes ricinus* ticks. *Journal of Clinical Microbiology* 40, 3308–3312.
- 360 García, J.C., Núñez, M.J., Castro, B., Fraile, F.J., López, A., Mella, M.C., Blanco, A., Sieira, C., Loureiro, E., Portillo, A. and Oteo, J.A. (2006) Human anaplasmosis: the first Spanish case confirmed by PCR. In: *Century of Rickettsiology: Emerging, Reemerging Rickettsioses, Molecular Diagnostics, and Emerging Veterinary Rickettsioses. Annals of the New York Academy of Sciences* 1078, 545–547.
- 363 García-Sanmartín, J., Barandika, J.F., Juste, R.A., García-Pérez, A.L. and Hurtado, A. (2008) Distribution and molecular detection of *Theileria* and *Babesia* in questing ticks from northern Spain. *Medical and Veterinary Entomology* 22, 318–325.
- 364 García-Sanmartín, J., Nagore D, García-Pérez, A.L., Juste, R.A. and Hurtado, A. (2006) Molecular diagnosis of *Theileria* and *Babesia* species infecting cattle in northern Spain using reverse line blot macroarrays. *BMC Veterinary Research* 2: 6, doi:10.1186/1746-6148-2-16.
- 365 Gassner, F., Verbaarschot, P., Smallegange, R.C., Spitzen, J., Van Wieren, S.E. and Takken, W. (2008) Variations in *Ixodes ricinus* density and *Borrelia* infections associated with cattle introduced into a woodland in the Netherlands. *Applied and Environmental Microbiology* 74, 7138–7144.
- 366 Georges, K., Loria, G.R., Riili, S., Greco, A., Caracappa, S., Jongejan, F. and Sparagano, O. (2001) Detection of haemoparasites in cattle by reverse line blot hybridisation with a note on the distribution of ticks in Sicily. *Veterinary Parasitology* 99, 273–286.
- 367 Germanakis, A., Psaroulaki, A., Gikas, A. and Tselentis, Y. (2006) Mediterranean spotted fever in Crete, Greece – clinical and therapeutic data of 15 consecutive patients. In: *Century of Rickettsiology: Emerging, Reemerging Rickettsioses, Molecular Diagnostics, and Emerging Veterinary Rickettsioses. Annals of the New York Academy of Sciences* 1078, 263–269.
- 368 Gern, L. and Sell, K. (2009) Isolation of *Borrelia burgdorferi sensu lato* from the SKIN of the European badger (*Meles meles*) in Switzerland. *Vector-Borne and Zoonotic Diseases* 9, 207–208.
- 369 Giammanco, G.M., Vitale, G., Mansueto, S., Capra, G., Caleca, M.P. and Ammatuna, P. (2005) Presence of *Rickettsia conorii* subsp *israelensis*, the causative agent of Israeli spotted fever, in Sicily, Italy, ascertained in a retrospective study. *Journal of Clinical Microbiology* 43, 6027–6031.
- 376 Golovljova, I., Katargina, O., Geller, J., Tallo, T., Mittzenkov, V., Vene, S., Nemirov, K., Kutsenko, A., Kilosanidze, G., Vasilenko, V., Plyusnin, A. and Lundkvist, A. (2008) Unique signature amino acid substitution in Baltic tick-borne encephalitis virus (TBEV) strains within the Siberian TBEV subtype. *International Journal of Medical Microbiology* 298, 108–120.
- 377 Golovljova, I., Vene, S., Sjolander, K.B., Vasilenko, V., Plyusnin, A. and Lundkvist, A. (2004) Characterization of tick-borne encephalitis virus from Estonia. *Journal of Medical Virology* 74, 580–588.
- 380 Gray, J.S., Robertson, J.N. and Key, S. (2000) Limited role of rodents as reservoirs of *Borrelia burgdorferi sensu lato* in Ireland. *European Journal of Epidemiology* 16, 101–103.
- 381 Greco, F., Vallone, A., Apuzzo, G., Vallone, G., Tenuta, R., Guaglianone, L. and Giraldi, C. (2003) Presence and indigenous nature of Lyme disease in southern Italy. *Microbiologica* 26, 391–394.
- 382 Gronesova, P., Ficova, M., Mizakova, A., Kabat, P., Trnka, A. and Betakova, R. (2008) Prevalence of avian influenza viruses, *Borrelia garinii*, *Mycobacterium avium*, and *Mycobacterium avium* subsp *paratuberculosis* in waterfowl and terrestrial birds in Slovakia, 2006. *Avian Pathology* 37, 537–543.
- 384 Gryczynska-Siemiatkowska, A., Siedlecka, A., Stanczak, J. and Barkowska, M. (2007) Infestation of sand lizards (*Lacerta agilis*) resident in the northeastern Poland by *Ixodes ricinus* (L.) ticks and their infection with *Borrelia burgdorferi sensu lato*. *Acta Parasitologica* 52, 165–170.
- 385 Grzeszczuk, A., Karbowski, G., Ziarko, S. and Kovalchuk, O. (2006) The root-vole *Microtus oeconomus* (Pallas, 1776): a new potential reservoir of *Anaplasma phagocytophilum*. *Vector-Borne and Zoonotic Diseases* 6, 240–243.
- 386 Grzeszczuk, A., Puzanowska, B., Miegoc, H. and Prokopowicz, D. (2004) Incidence and prevalence of infection with *Anaplasma phagocytophilum*. Prospective study in healthy individuals exposed to ticks. *Annals of Agricultural and Environmental Medicine* 11, 155–157.
- 388 Grzeszczuk, A., Stanczak, J. and Kubica-Biernat, B. (2002) Serological and molecular evidence of human granulocytic ehrlichiosis focus in the Białowieża Primeval Forest (Puszcza Białowieska), northeastern Poland. *European Journal of Clinical Microbiology and Infectious Diseases* 21, 6–11.

- 389 Grzeszczuk, A., Stanczak, J., Kubica-Biernat, B., Racewicz, M., Kruminis-Lozowska, W. and Prokopowicz, D. (2004) Human anaplasmosis in north-eastern Poland: seroprevalence in humans and prevalence in *Ixodes ricinus* ticks. *Annals of Agricultural and Environmental Medicine* 11, 99–103.
- 390 Guclu, H.Z. and Karaer, K.Z. (2007) [Detection of *Babesia caballi* (Nuttall, 1910) and *Theileria equi* (syn. *Babesia equi*, Laveran, 1901) by the polymerase chain reaction (PCR) in show and sport horses in the region of Ankara.] *Türkiye Parazitoloji Dergisi* 31, 89–93.
- 394 Gulanber, A., Gorenflot, A., Schetters, T.P.M. and Carcy, B. (2006) First molecular diagnosis of *Babesia vogeli* in domestic dogs from Turkey. *Veterinary Parasitology* 139, 224–230.
- 395 Guner, E.S., Hashimoto, N., Takada, N., Kaneda, K., Imai, Y. and Masuzawa, T. (2003) First isolation and characterization of *Borrelia burgdorferi sensu lato* strains from *Ixodes ricinus* ticks in Turkey. *Journal of Medical Microbiology* 52, 80–813.
- 396 Guner, E.S., Watanabe, M., Kadosaka, T., Polat, E., Gargili, A., Gulanber, A., Ohashi, N., Kaneda, K., Imai, Y. and Masuzawa, T. (2005) Seroepidemiology of *Borrelia burgdorferi sensu lato* and *Anaplasma phagocytophilum* in wild mice captured in Northern Turkey. *Epidemiology and Infection* 133, 331–336.
- 401 Gurycova, D., Vyrostekova, V., Khanakah, G., Kocianova, E. and Stanek, G. (2001) Importance of surveillance of tularemia natural foci in the known endemic area of Central Europe, 1991–1997. *Wiener Klinische Wochenschrift* 113, 433–438.
- 403 Gustaw-Rothenberg, K. (2008) Cognitive impairment after tick-borne encephalitis. *Dementia and Geriatric Cognitive Disorders* 26, 165–168.
- 406 Haitlinger, R. and Lupicki, D. (2009) Arthropods (Acari, Mallophaga, Siphonaptera) collected from *Procyon lotor* (Linnaeus, 1758) (Mammalia, Carnivora, Procyonidae) in Poland. *Wiadomości Parazytologiczne* 55, 59–60.
- 408 Halos, L., Jamal, T., Maillard, R., Beugnet, F., Le Menach, A., Boulouis, H.J. and Vayssier-Taussat, M. (2005) Evidence of *Bartonella* sp in questing adult and nymphal *Ixodes ricinus* ticks from France and co-infection with *Borrelia burgdorferi sensu lato* and *Babesia* sp. *Veterinary Research* 36, 79–87.
- 409 Hamel, D., Silaghi, C., Knaus, M., Visser, M., Kusi, I., Rapti, D., Rehbein, S. and Pfister, K. (2009) Detection of *Babesia canis* subspecies and other arthropod-borne diseases in dogs from Tirana, Albania. *Wiener Klinische Wochenschrift* 121, 42–45.
- 410 Han, H.Q., Aho, M., Vene, S., Peltomaa, M., Vaheri, A. and Vapalahti, O. (2001) Prevalence of tick-borne encephalitis virus in *Ixodes ricinus* ticks in Finland. *Journal of Medical Virology* 64, 21–28.
- 413 Han, X.Q., Juceviciene, A., Uzcategui, N.Y., Brummer-Korvenkontio, H., Zygutiene, M., Jaaskelainen, A., Leinikki, P. and Vapalahti, O. (2005) Molecular epidemiology of tick-borne encephalitis virus in *Ixodes ricinus* ticks in Lithuania. *Journal of Medical Virology* 77, 249–256.
- 416 Harrus, S., Lior, Y., Ephros, M., Grisaru-Soen, G., Keysary, A., Strenger, C., Jongejan, F., Waner, T. and Baneth, G. (2007) *Rickettsia conorii* in humans and dogs: a seroepidemiologic survey of two rural villages in Israel. *American Journal of Tropical Medicine and Hygiene* 77, 133–135.
- 417 Hartelt, K., Rieker, T., Oehme, R.M., Brockmann, S.O., Müller, W. and Dorn, N. (2007) First evidence of *Babesia gibsoni* (Asian genotype) in dogs in Western Europe. *Vector-Borne and Zoonotic Diseases* 7, 163–166.
- 419 Healy, J.A. and Bourke, P. (2008) Aggregation in the tick *Ixodes ricinus* (Acari: Ixodidae): use and reuse of questing vantage points. *Journal of Medical Entomology* 45, 222–228.
- 420 Healy, J.A.E. and Bourke, P. (2004) Field evidence for aggregating behaviour in the tick *Ixodes ricinus* L. *Acarologia* 44, 3–14.
- 424 Hemmer, C.J., Littmann, M., Lobermann, M., Lafrenz, M., Bottcher, T. and Reisinger, E.C. (2005) Tickborne meningoencephalitis, first case after 19 years in northeastern Germany. *Emerging Infectious Diseases* 11, 633–634.
- 425 Hend, Y., M’Hammed, S., Jouda, F., Godfroid, E., Gern, L., Ali, B., Baranton, G. and Postic, D. (2005) Characterization of *Borrelia lusitaniae* isolates collected in Tunisia and Morocco. *Journal of Clinical Microbiology* 43, 1587–1593.
- 426 Henningson, A.J., Malmvall, B.-E., Ernerudh, J., Matussek, A. and Forsberg, P. (2009) Neuroborreliosis – an epidemiological, clinical and healthcare cost study from an endemic area in the south-east of Sweden. *Clinical Microbiology and Infection* 16, 1245–1251.
- 427 Hercik, K., Hasova, V., Janecek, J. and Branny, P. (2007) Molecular evidence of *Bartonella* DNA in ixodid ticks in Czechia. *Folia Microbiologica* 52, 503–509.
- 431 Hidalgo, V.M.M. (2008) Detection of *Borrelia* spp. in *Ixodes ricinus* in recreation areas in Hannover (northern Germany). *Journal of Clinical Rheumatology* 15, 195–197.
- 432 Hildebrandt, A., Schmidt, K.H., Fingerle, V., Wilske, B. and Straube, E. (2002) Prevalence of granulocytic ehrlichiae in *Ixodes ricinus* ticks in Middle Germany (Thuringia) detected by PCR and sequencing of a 16S ribosomal DNA fragment. *FEMS Microbiology Letters* 211, 225–230.
- 434 Hilpertshausser, H., Deplazes, P., Meli, M.L., Hofmann-Lehmann, R., Lutz, H. and Mathis, A. (2007) Genotyping of *Babesia bigemina* from cattle from a non-endemic area (Switzerland). *Veterinary Parasitology* 145, 59–64.

- 435 Hilpertshauer, H., Deplazes, P., Schnyder, M., Gern, L. and Mathis, A. (2006) *Babesia* spp. identified by PCR in ticks collected from domestic and wild ruminants in southern Switzerland. *Applied and Environmental Microbiology* 72, 6503–6507.
- 438 Hofmann-Lehmann, R., Meli, M.L., Dreher, U.M., Gonczi, E., Deplazes, P., Braun, U., Engels, M., Schupbach, J., Jorger, K., Thoma, R., Griot, C., Stark, K.D.C., Willi, B., Schmidt, J., Kocan, K.M. and Lutz, H. (2004) Concurrent infections with vector-borne pathogens associated with fatal hemolytic anemia in a cattle herd in Switzerland. *Journal of Clinical Microbiology* 42, 3775–3780.
- 439 Holbach, M. and Oehme, R. (2002) [Tick-borne encephalitis and Lyme borreliosis. Spread of pathogens and risk of illness in a tick-borne encephalitis region.] *Fortschritte der Medizinische Originalien* 120, 113–118.
- 440 Holm, L.R., Kerr, M.G., Trees, A.J., McGarry, J.W., Munro, E.R. and Shaw, S.E. (2006) Fatal babesiosis in an untravelled British dog. *Veterinary Record* 159, 179–180.
- 441 Hornok, S., Edelhofer, R., Foldvari, G., Joachim, A. and Farkas, R. (2007) Serological evidence for *Babesia canis* infection of horses and an endemic focus of *B. caballi* in Hungary. *Acta Veterinaria Hungarica* 55, 491–500.
- 442 Hornok, S., Edelhofer, R., Szotaczky, I. and Hajtos, I. (2006) *Babesia divergens* becoming extinct in cattle of northeast Hungary: new data on the past and present situation. *Acta Veterinaria Hungarica* 54, 493–501.
- 443 Hornok, S., Elek, V., de la Fuente, J., Naranjo, V., Farkas, R., Majoros, G. and Foldvari, G. (2007) First serological and molecular evidence on the endemicity of *Anaplasma ovis* and *A. marginale* in Hungary. *Veterinary Microbiology* 122, 316–322.
- 445 Hornok, S. and Farkas, R. (2005) First autochthonous infestation of dogs with *Rhipicephalus sanguineus* (Acari: Ixodidae) in Hungary: case report and review of current knowledge on this tick species. *Magyar Allatorvosok Lapja* 127, 623–629.
- 447 Houwers, D.J., Teske, E. and Jongejan, F. (2004) [Autochthonous babesiosis in dogs in the Netherlands?] [News.] *Tijdschrift voor Diergeneeskunde* 129, 310.
- 448 Hristova, I., Taseva, E., Gladnishka, T., Bakardzhiev, K., Komitova, R., Ilieva, P., Andonova, L., Goranova, G., Yordzheva, K. and Balnikova, N. (2008) Human granulocytic anaplasmosis in Bulgaria – confirmed cases and review of the literature. *Medical Review* 44, 63–67.
- 449 Hrkľ'ova, G., Novakova, M., Chytra, M., Kost'ova, C. and Pet'ko, B. (2008) Monitoring the distribution and abundance of *Ixodes ricinus* ticks in relevance of climate change and prevalence of *Borrelia burgdorferi sensu lato* in northern Slovakia (Liptovska valley). *Folia Veterinaria* 52, 62–63.
- 450 Hugli, D., Moret, J., Rais, O., Moosmann, Y., Erard, P., Malinverni, R. and Gern, L. (2009) Tick bites in a Lyme borreliosis highly endemic area in Switzerland. *International Journal of Medical Microbiology* 299, 155–160.
- 456 İca, A., İnci, A. and Yildirim, A. (2007) Parasitological and molecular prevalence of bovine *Theileria* and *Babesia* species in the vicinity of Kayseri. *Turkish Journal of Veterinary and Animal Sciences* 31, 33–38.
- 457 İnci, A., Çakmak, A., Karaer, Z., Dinçer, S., Sayın, F. and İca, A. (2002) Seroprevalence of bovine babesiosis around Kayseri. *Turkish Journal of Veterinary and Animal Sciences* 26, 1345–1350.
- 458 İnci, A., Karaer, Z. and İca, A. (2002) Babesiosis in sheep and goats around Kayseri. *Sağlık Bilimleri Dergisi, Fırat Üniversitesi (Veteriner)* 16, 79–83.
- 460 Ionita, M., Mitrea, I.L. and Buzatu, M.C. (2006) Seasonal dynamics of Ixodidae populations in different geographical areas from Romania. *Lucrari Stiintifice – Medicina Veterinara, Universitatea de Stiinte Agricole si Medicina Veterinara "Ion Ionescu de la Brad" Iasi* 49, 365–374.
- 462 Ionita, M., Mitrea, I.L., Onofrei, O. and Stan, M. (2006) The age-related structure of some ixodide populations from different geographic areas in north-east and south-east of Romania. *Bulletin of the University of Agricultural Sciences and Veterinary Medicine* 63, 286–292.
- 464 Izdebska, J.N. (2001) The occurrence of parasitic arthropods in two groups of European bison in the Białowieża primeval forest. *Wiadomości Parazytologiczne* 47, 801–804.
- 465 Jaaskelainen, A.E., Tikkakoski, T., Uzcategui, N.Y., Alekseev, A.N., Vaheri, A. and Vapalahti, O. (2006) Siberian subtype tickborne encephalitis virus, Finland. *Emerging Infectious Diseases* 12, 1568–1571.
- 467 Jacobs, J.J.W.M., Noordhoek, G.T., Brouwers, J.M.M., Wielinga, P.R., Jacobs, J.P.A.M. and Brandenburg, A.H. (2008) [Small risk of developing Lyme borreliosis following a tick bite on Ameland: research in a general practice.] *Nederlands Tijdschrift voor Geneeskunde* 152, 2022–2026.
- 468 Jado, I., Oteo, J.A., Aldamiz, M., Gil, H., Escudero, R., Ibarra, V., Portu, J., Portillo, A., Lezaun, M.J., Garcia-Amil, C., Rodriguez-Moreno, I. and Anda, P. (2007) *Rickettsia monacensis* and human disease, Spain. *Emerging Infectious Diseases* 13, 1405–1407.
- 470 Jaenson, T.G.T., Eisen, L., Comstedt, P., Mejlon, H.A., Lindgren, E., Bergstrom, S. and Olsen, B. (2009) Risk indicators for the tick *Ixodes ricinus* and *Borrelia burgdorferi sensu lato* in Sweden. *Medical and Veterinary Entomology* 23, 226–237.
- 471 Jaenson, T.G.T. and Jensen, J.K. (2007) Records of ticks (Acari, Ixodidae) from the Faroe Islands. *Norwegian Journal of Entomology* 54, 11–15.

- 472 Janouskovicova, E., Žáková, A., Halouzka, J. and Dendis, M. (2004) Occurrence of *Borrelia afzelii* and *Borrelia garinii* in *Ixodes ricinus* ticks from southern Moravia, Czech Republic. *Vector-Borne and Zoonotic Diseases* 4, 43–52.
- 475 Jenkins, A., Kristiansen, B.E., Allum, A.G., Aakre, R.K., Strand, L., Kleveland, E.J., van de Pol, I. and Schouls, L. (2001) *Borrelia burgdorferi sensu lato* and *Ehrlichia* spp. in *Ixodes* ticks from southern Norway. *Journal of Clinical Microbiology* 39, 3666–3671.
- 476 Jensen, J., Müller, E. and Dausgschies, A. (2003) Arthropod-borne diseases in Greece and their relevance for pet tourism. *Praktische Tierarzt* 84, 430.
- 478 Jensen, P.M. and Frandsen, F. (2000) Temporal risk assessment for lyme borreliosis in Denmark. *Scandinavian Journal of Infectious Diseases* 32, 539–544.
- 479 Jensen, P.M. and Kaufmann, U. (2003) Seasonal and diel activity of *Ixodes ricinus* (Acari: Ixodidae) subpopulations in Denmark. Aspects of size, physiological age, and malate dehydrogenase genotype in a forest site without any undergrowth. *Experimental and Applied Acarology* 30, 289–303.
- 483 Johan, F., Asa, L., Rolf, A., Barbro, C., Ingvar, E., Mats, H., Ake, L., Sirkka, V. and Bo, S. (2006) Tick-borne encephalitis (TBE) in Skane, southern Sweden: a new TBE endemic region? *Scandinavian Journal of Infectious Diseases* 38, 800–804.
- 484 Joncour, P.G. (2008) Ovine granulocytic ehrlichiosis in France. *Bulletin de l'Académie Vétérinaire de France* 161, 31–138.
- 485 Jouda, F., Crippa, M., Perret, J.L. and Gern, L. (2003) Distribution and prevalence of *Borrelia burgdorferi sensu lato* in *Ixodes ricinus* ticks of canton Ticino (Switzerland). *European Journal of Epidemiology* 18, 907–912.
- 487 Jouda, F., Perret, J.L. and Gern, L. (2004) *Ixodes ricinus* density, and distribution and prevalence of *Borrelia burgdorferi sensu lato* infection along an altitudinal gradient. *Journal of Medical Entomology*, 41, 162–169.
- 489 Juceviciene, A., Zygtiene, M., Leinikki, P., Brummer-Korvenkontio, H., Salminen, M., Han, X.Q. and Vapalahti, O. (2005) Tick-borne encephalitis virus infections in Lithuanian domestic animals and ticks. *Scandinavian Journal of Infectious Diseases* 37, 742–746.
- 490 Juricová, Z., Halouzka, J. and Hubálek, Z. (2002) Serologic survey for antibodies to *Borrelia burgdorferi* in rodents and detection of spirochaetes in ticks and fleas in south Moravia (Czech Republic). *Biologia* 57, 383–387.
- 491 Juricová, Z. and Hubálek, Z. (2009) Serologic survey of the wild boar (*Sus scrofa*) for *Borrelia burgdorferi sensu lato*. *Vector-Borne and Zoonotic Diseases* 9, 479–482.
- 493 Kaabia, N. and Letaief, A. (2009) Characterization of rickettsial diseases in a hospital-based population in central Tunisia. In: *Rickettsiology and Rickettsial Diseases. Annals of the New York Academy of Science* 1166, 167–171.
- 496 Kaiser, A., Seitz, A. and Strub, O. (2001) Prevalence of *Borrelia burgdorferi sensu lato* in the nightingale (*Luscinia megarhynchos*) and other passerine birds. *International Journal of Medical Microbiology* 291, 75–79.
- 499 Kalinova, Z., Halanova, M., Cislakova, L., Sulinova, Z. and Jarcuska, P. (2009) Occurrence of IgG antibodies to *Anaplasma phagocytophilum* in humans suspected of Lyme borreliosis in eastern Slovakia. *Annals of Agricultural and Environmental Medicine* 16, 285–288.
- 503 Karagenc, T.I., Pasa, S., Kirli, G., Hosgor, M., Bilgic, H.B., Ozon, Y.H., Atasoy, A. and Eren, H. (2006) A parasitological, molecular and serological survey of *Hepatozoon canis* infection in dogs around the Aegean coast of Turkey. *Veterinary Parasitology* 135, 113–119.
- 504 Karbowski, G. (2004) Zoonotic reservoir of *Babesia microti* in Poland. *Polish Journal of Microbiology* 53, 61–65.
- 505 Karbowski, G. and Supergan, M. (2007) The new locality of *Argas reflexus* Fabricius, 1794 in Warsaw, Poland. *Wiadomości Parazytologiczne* 53, 143–144
- 507 Kaya, A.D., Parlak, A.H., Ozturk, C.E. and Behcet, M. (2008) Seroprevalence of *Borrelia burgdorferi* infection among forestry workers and farmers in Duzce, north-western Turkey. *New Microbiologica* 31, 203–209.
- 508 Kaya, G., Çakmak, A. and Karaer, Z. (2006) Seroprevalence of theileriosis and babesiosis of cattle. *Medycyna Weterynaryjna* 62, 156–158.
- 509 Kaysser, P., Seibold, E., Matz-Rensing, K., Pfeffer, M., Essbauer, S. and Spletstoesser, W.D. (2008) Re-emergence of tularemia in Germany: presence of *Francisella tularensis* in different rodent species in endemic areas. *BMC Infectious Diseases* 8:157, doi:10.1186/1471-2334-8-157.
- 510 Khalifa, R., Arafa, M.I. and Fouad, I.A. (2004) Pulmonary hydatidosis in dogs. *Assiut Veterinary Medical Journal* 50, 144–155.
- 511 Khanakah, G., Kocianova, E., Vyrostekova, V., Rehacek, J., Kundi, M. and Stanek, G. (2006) Seasonal variations in detecting *Borrelia burgdorferi sensu lato* in rodents from north eastern Austria. *Wiener Klinische Wochenschrift* 118, 754–758.
- 512 Khoury, C. and Maroli, M. (2004) The pigeon tick, *Argas reflexus*, and hazard for human health. *Annali dell'Istituto Superiore di Sanita* 40, 427–432.
- 513 Kiewra, D., Dobracki, W., Lonc, E. and Dobracka, B. (2004) [Exposure to ticks and erythema chronicum migrans among borreliosis patients in Lower Silesia.] *Przegląd Epidemiologiczny* 58, 281–288.

- 514 Kiewra, D. and Lonc, E. (2004) Biology of *Ixodes ricinus* (L.) and its pathogens in Wrocław area. *Wiadomości Parazytologiczne* 50, 259–264.
- 522 Kislenco, G.S. and Korotkov, Y.S. (2002) The forest tick *Ixodes ricinus* (Ixodidae) in foci of tick-borne borrelioses in the north-west of Moscow Province. *Parazitologiya* (St Petersburg) 36, 447–456.
- 523 Klaus, C., Hoffmann, B., Hering, U., Mielke, B., Sachse, K., Beer, M. and Suss, J. (2009) Tick-borne encephalitis (TBE) virus prevalence and virus genome characterization in field-collected ticks (*Ixodes ricinus*) from risk, non-risk and former risk areas of TBE, and in ticks removed from humans in Germany. *Clinical Microbiology and Infection* 16, 238–244.
- 524 Klaus-Hugi, C., Aeschlimann, A. and Papadopoulos, B. (2002) Distribution, density and migration dynamics of *Ixodes ricinus* in an area of the Jurassic mountains of Switzerland. *Parassitologia* (Rome) 44, 73–82.
- 525 Klimes, J., Juricová, Z., Literak, I., Schanilec, P. and Silva, E.T.E. (2001) Prevalence of antibodies to tickborne encephalitis and West Nile flaviviruses and the clinical signs of tickborne encephalitis in dogs in the Czech Republic. *Veterinary Record* 148, 17–20.
- 527 Knap, N., Durmisi, E., Saksida, A., Korva, M., Petrovec, M. and Avšič-Županc, T. (2009) Influence of climatic factors on dynamics of questing *Ixodes ricinus* ticks in Slovenia. *Veterinary Parasitology* 164, 275–281.
- 528 Koci, J., Movila, A., Taragel'ova, V., Toderas, I., Uspenskaia, I., Derdakova, M. and Labuda, M. (2007) First report of *Anaplasma phagocytophilum* and its co-infections with *Borrelia burgdorferi sensu lato* in *Ixodes ricinus* ticks (Acari: Ixodidae) from Republic of Moldova. *Experimental and Applied Acarology* 41, 147–152.
- 529 Kocianova, E., Blaskovic, D., Smetanova, K., Schwarzova, K., Boldis, V., Kostanova, Z., Mullerov, D. and Barak, I. (2008) Comparison of an oligo-chip based assay with PCR method to measure the prevalence of tick-borne pathogenic bacteria in central Slovakia. *Biologia* 63, 34–37.
- 531 Komon, T. and Sytykiewicz, H. (2007) Occurrence of *Borrelia burgdorferi s.l.* in selected *Ixodes ricinus* populations within Nadbuzanski Landscape Park. *Wiadomości Parazytologiczne* 53, 309–317.
- 532 Kondrusik, M., Biedzińska, T., Pancewicz, S., Zajkowska, J., Grygorczuk, S., Świerzbńska, R., Saniutycz-Kuroczycki, S. and Hermanowska-Szpakowicz, T. (2004) [Tick-borne encephalitis (TBE) cases in Białostocki and Podlaski regions in years 1993–2002.] *Przegląd Epidemiologiczny* 58, 273–280.
- 533 Korenberg, E.I., Kovalevskii, Y.V., Levin, M.L. and Shchyogoleva, T.V. (2001) The prevalence of *Borrelia burgdorferi sensu lato* in *Ixodes persulcatus* and *I. ricinus* ticks in the zone of their sympatry. *Folia Parasitologica* 48, 63–68.
- 535 Kostelic, A., Artukovic, B., Beck, R., Benic, M., Cergolj, M., Stokovic, I. and Barac, Z. (2008) Diseases of sheep on Croatian islands. In: *Proceedings of the XVI Congress of the Mediterranean Federation for Health and Production of Ruminants, Zadar, Croatia, 26 April 2008*, pp. 227–232.
- 537 Koutaro, M., Santos, A.S., Dumler, J.S. and Brouqui, P. (2005) Distribution of 'Ehrlichia walkeri' in *Ixodes ricinus* (Acari: Ixodidae) from the northern part of Italy. *Journal of Medical Entomology* 42, 82–85.
- 540 Kowalski, J., Hopfenmuller, W., Fingerle, V., Malberg, H., Eisenblatter, M., Wagner, J., Miksits, K., Hahn, H. and Ignatius, R. (2006) Seroprevalence of human granulocytic anaplasmosis in Berlin/Brandenburg, Germany: an 8-year survey. *Clinical Microbiology and Infection* 12, 924–927.
- 541 Krech, T. (2001) TBE foci in Switzerland. *International Journal of Medical Microbiology* 291, 30–33.
- 546 Kubiak, K., Dziekonska-Rynko, J. and Jabionowski, Z. (2004) Occurrence and seasonal activity of European ticks *Ixodes ricinus* (Linnaeus, 1758) in the forest areas of Olsztyn. *Wiadomości Parazytologiczne* 50, 265–268.
- 549 Kuzna-Grygiel, W., Bukowska, K., Cichočka, A., Kosik-Bogacka, D. and Skotarczak, B. (2002) The prevalence of piroplasms in a population of *Ixodes ricinus* (Acari: Ixodidae) from north-western Poland. *Annals of Agricultural and Environmental Medicine* 9, 175–178.
- 550 Kybicova, K., Kurzova, Z., Hulinska, D. (2008) Molecular and serological evidence of *Borrelia burgdorferi sensu lato* in wild rodents in the Czech Republic. *Vector-Borne and Zoonotic Diseases* 8, 645–652.
- 556 Lamml, B., Müller, A. and Ballmer, P.E. (2000) Late sequelae of tick-borne encephalitis. *Schweizerische Medizinische Wochenschrift* 130, 909–915.
- 558 Larsson, C., Comstedt, P., Olsen, B. and Bergstrom, S. (2007) First record of Lyme disease *Borrelia* in the Arctic. *Vector-Borne and Zoonotic Diseases* 7, 453–456.
- 559 Laurenson, K.M., McKendrick, I.J., Reid, H.W., Challenor, R. and Mathewson, G.K. (2007) Prevalence, spatial distribution and the effect of control measures on louping-ill virus in the Forest of Bowland, Lancashire. *Epidemiology and Infection* 135, 963–973.
- 560 Leblebicioglu, H., Esen, S., Turan, D., Tanyeri, Y., Karadenizli, A., Ziyagil, F. and Goral, G. (2008) Outbreak of tularemia: a case-control study and environmental investigation in Turkey. *International Journal of Infectious Diseases* 12, 265–269.
- 561 Leblond, A., Pradier, S., Pitel, P.H., Fortier, G., Boireau, P., Chadoeuf, J. and Sabatier, P. (2005) An epidemiological survey of equine anaplasmosis (*Anaplasma phagocytophilum*) in Southern France. *Revue Scientifique et Technique de l'Office International des Epizooties* 24, 899–908.

- 562 Ledent, C., Tellings, J.C. and Mairesse, M. (2007) Nocturnal anaphylaxis. *Revue Française d'Allergologie et d'Immunologie Clinique* 47, 368–374.
- 564 Lengauer, H., Just, F.T., Edelhofer, R. and Pfister, K. (2006) Investigations on the infestation of ticks and the prevalence of *Borrelia burgdorferi* and *Babesia divergens* in cattle in Bavaria. *Berliner und Münchener Tierärztliche Wochenschrift* 119, 335–341.
- 571 Letkova, V., Mojzisova, J., Winkler, R., Curlik, J., Letko, M. and Bajova, V. (2004) The seroprevalence of *Ehrlichia canis* in dogs in east Slovakia. *Folia Veterinaria* 48, 135–138.
- 572 Letrillart, L., Ragon, B., Hanslik, T. and Flahault, A. (2005) Lyme disease in France: a primary care-based prospective study. *Epidemiology and Infection* 133, 935–942.
- 576 Liebisch, G. and Liebisch, A. (2007) *Dermacentor reticulatus* and canine babesiosis in Germany: a veterinary update. *Praktische Tierarzt* 88, 222.
- 580 Linard, C., Lamarque, P., Heyman, P., Ducoffre, G., Luyasu, V., Tersago, K., Vanwambeke, S.O. and Lambin, E.F. (2007) Determinants of the geographic distribution of Puumala virus and Lyme borreliosis infections in Belgium. *International Journal of Health Geographics* 6:15, doi:10.1186/1476-072X-6-15.
- 582 Lindhe, K.E., Meldgaard, D.S., Jensen, P.M., Houser, G.A. and Berendt, M. (2009) Prevalence of tick-borne encephalitis virus antibodies in dogs from Denmark. *Acta Veterinaria Scandinavica* 51, 56–60.
- 584 Lindstrom, A. and Jaenson, T.G.T. (2003) Distribution of the common tick, *Ixodes ricinus* (Acari: Ixodidae), in different vegetation types in southern Sweden. *Journal of Medical Entomology* 40, 375–378.
- 586 Liz, J.S., Anderes, L., Sumner, J.W., Massung, R.F., Gern, L., Rutti, B. and Brossard, M. (2000) PCR detection of granulocytic ehrlichiae in *Ixodes ricinus* ticks and wild small mammals in western Switzerland. *Journal of Clinical Microbiology* 38, 1002–1007.
- 587 Lledo, L., Gegundez, M.I., Fernandes, N., Sousa, R., Vicente, J., Alamo, R., Fernández-Soto, P., Pérez-Sánchez, R. and Bacellar, F. (2006) The seroprevalence of human infection with *Rickettsia slovaca*, in an area of northern Spain. *Annals of Tropical Medicine and Parasitology* 100, 337–343.
- 595 Loftis, A.D., Reeves, W.K., Szumlas, D.E., Abbassy, M.M., Helmy, I.M., Moriarity, J.R. and Dasch, G.A. (2006) Rickettsial agents in Egyptian ticks collected from domestic animals. *Experimental and Applied Acarology* 40, 67–81.
- 597 Lopes de Carvalho, I. and Nuncio, M.S. (2006) Laboratory diagnosis of Lyme borreliosis at the Portuguese National Institute of Health (1990–2004). *Eurosurveillance* 11, 257–260.
- 599 Lubbert, C., Taege, C., Seufferlein, T. and Grunow, R. (2009) [Prolonged course of tick-borne ulceroglandular tularemia in a 20-year-old patient in Germany – case report and review of the literature.] *Deutsche Medizinische Wochenschrift* 134, 1405–10.
- 600 Maetzel, D., Maier, W.A. and Kampen, K. (2005) *Borrelia burgdorferi* infection prevalences in questing *Ixodes ricinus* ticks (Acari: Ixodidae) in urban and suburban Bonn, western Germany. *Parasitology Research* 95, 5–12.
- 601 Majlathova, V., Hurnikova, Z., Majlath, I. and Petko, B. (2007) *Hepatozoon canis* infection in Slovakia: imported or autochthonous? *Vector-Borne and Zoonotic Diseases* 7, 199–202.
- 602 Majlathova, V., Majlath, I., Derdakova, M., Vichova, B. and Pet'ko, B. (2006) *Borrelia lusitaniae* and green lizards (*Lacerta viridis*), Karst region, Slovakia. *Emerging Infectious Diseases* 12, 1895–1901.
- 603 Majlathova, V., Majlath, I., Hromada, M., Tryjanowski, P., Bona, M., Antczak, M., Vichova, B., Dzimko, S., Mihalca, A. and Pet'ko, B. (2008) The role of the sand lizard (*Lacerta agilis*) in the transmission cycle of *Borrelia burgdorferi sensu lato*. *International Journal of Medical Microbiology* 298, 161–167.
- 604 Majlathova, V., Sesztakova, E. and Pet'ko, B. (2006) Blood parasites transmitted by ticks. *Slovensky Veterinarsky Casopis* 31, 376–377.
- 606 Mancianti, F., Nardoni, S., Cecconi, M. and Bonanno, E.L. (2000) Prevalence of antibabesia antibodies in race horses in Tuscany. *Ippologia* 11, 29–33.
- 607 Mannelli, A., Mandola, M.L., Pedri, P., Tripoli, M. and Nebbia, N. (2001) Use of spatial statistics and GIS to study the distribution of seropositivity for *Rickettsia conorii* in dogs in Piemonte (Italy). In: Menzies, F.D. and Reid, S.W.J. (eds) *Society for Veterinary Epidemiology and Preventive Medicine: Proceedings, Noordwijkerhout, 28th–30th March 2001*, pp. 92–99.
- 608 Mannelli, A., Mandola, M.L., Pedri, P., Tripoli, M. and Nebbia, P. (2003) Associations between dogs that were serologically positive for *Rickettsia conorii* relative to the residences of two human cases of Mediterranean spotted fever in Piemonte (Italy). *Preventive Veterinary Medicine* 60, 13–26.
- 609 Mantelli, B., Pecchioli, E., Hauffe, H.C., Rosa, R. and Rizzoli, A. (2006) Prevalence of *Borrelia burgdorferi s.l.* and *Anaplasma phagocytophilum* in the wood tick *Ixodes ricinus* in the Province of Trento, Italy. *European Journal of Clinical Microbiology and Infectious Diseases* 25, 737–739.
- 611 Márquez, F.J. (2008) Spotted fever group *Rickettsia* in ticks from southeastern Spain natural parks. *Experimental and Applied Acarology* 45, 185–194.

- 614 Márquez, F.J., Rodríguez-Liébana, J.J., Soriguer, R.C., Muniaín, M.A., Bernabeu-Wittel, M., Caruz, A. and Contreras-Chova, F. (2008) Spotted fever group *Rickettsia* in brown dog ticks *Rhipicephalus sanguineus* in southwestern Spain. *Parasitology Research* 103, 119–122.
- 615 Martel, A., Luiten, E., Dorny, P., Dewulf, J., Pasmans, F. and Decostere, A. (2005) Seroprevalence of *Borrelia burgdorferi sensu lato* in wild rabbits in Flanders. *Vlaams Diergeneeskundig Tijdschrift* 74, 303–304.
- 616 Martínez-Carrasco, C., Ruiz de Ybáñez, M.R., Sagarminaga, J.L., Garijo, M.M., Moreno, F., Acosta, I., Hernández, S. and Alonso, F.D. (2007) Parasites of the red fox (*Vulpes vulpes* Linnaeus, 1758) in Murcia, southeast Spain. *Revue de Médecine Vétérinaire* 158, 331–335.
- 617 Martín-Rodríguez, L., Iglesias-García, R., del Río-Martín, M., Mázon-Ramos, M.Á. and Arranz-Peña, M.L. (2009) Prevalence of epidemic outbreak of tularemia in the Hospital Universitario Río Hortega (Spain) in the year 2007. *Revista Clínica Española* 209, 342–346.
- 619 Mastrandrea, S., Mura, M.S., Tola, S., Patta, C., Tanda, A., Porcu, R. and Masala, G. (2006) Two cases of human granulocytic ehrlichiosis in Sardinia, Italy confirmed by PCR. In: *Century of Rickettsiology: Emerging, Reemerging Rickettsioses, Molecular Diagnostics, and Emerging Veterinary Rickettsioses. Annals of the New York Academy of Sciences* 1078, 548–551.
- 620 Materna, J., Daniel, M. and Danielova, V. (2005) Altitudinal distribution limit of the tick *Ixodes ricinus* shifted considerably towards higher altitudes in central Europe: results of three years monitoring in the Krkonose Mts. (Czech Republic). *Central European Journal of Public Health* 13, 24–28.
- 621 Materna, J., Daniel, M., Metelka, L. and Harcarika, J. (2008) The vertical distribution, density and the development of the tick *Ixodes ricinus* in mountain areas influenced by climate changes (The Krkonose Mts., Czech Republic). *International Journal of Medical Microbiology* 298, 25–37.
- 622 Mathis, A., Hilpertshausser, H. and Deplazes, P. (2006) Piroplasms of ruminants in Switzerland and zoonotic significance of the *Babesia*. *Schweizer Archiv für Tierheilkunde* 148, 151–159.
- 624 Matsumoto, K., Parola, P., Brouqui, P. and Raoult, D. (2004) *Rickettsia aeschlimannii* in *Hyalomma* ticks from Corsica. *European Journal of Clinical Microbiology and Infectious Diseases* 23, 732–734.
- 626 Maurizi, L., Marié, J.L., Aoun, O., Courtin, C., Gorsane, S., Chal, D. and Davoust, B. (2010) Seroprevalence survey of equine Lyme borreliosis in France and in sub-Saharan Africa. *Vector-Borne and Zoonotic Diseases* 10, 535–537.
- 631 Medlock, J.M., Pietzsch, M.E., Rice, N.V.P., Jones, L., Kerrod, E., Avenell, D., Los, S., Ratcliffe, N., Leach, S. and Butt, T. (2008) Investigation of ecological and environmental determinants for the presence of questing *Ixodes ricinus* (Acari: Ixodidae) on Gower, South Wales. *Journal of Medical Entomology* 45, 314–325.
- 633 Mehnert, W.H. and Krause, G. (2005) Surveillance of Lyme borreliosis in Germany, 2002 and 2003. *Eurosurveillance* 10, 83–85.
- 634 Meissner, J.D., Seregin, S.S., Seregin, S.V., Vyshemirskii, O.I., Yakimenko, N.V., Netesov, S.V. and Petrov, V.S. (2006) The complete genomic sequence of strain ROS/HUVLV-100, a representative Russian Crimean Congo hemorrhagic fever virus strain. *Virus Genes* 33, 87–93.
- 635 Meissner, J.D., Seregin, S.S., Seregin, S.V., Yakimenko, N.V., Vyshemirskii, O.I., Netesov, S.V. and Petrov, V.S. (2006) Complete L segment coding-region sequences of Crimean Congo hemorrhagic fever virus strains from the Russian Federation and Tajikistan. *Archives of Virology* 151, 465–475.
- 636 Melik, W., Nilsson, A.S. and Johansson, M. (2007) Detection strategies of tick-borne encephalitis virus in Swedish *Ixodes ricinus* reveal evolutionary characteristics of emerging tick-borne flaviviruses. *Archives of Virology* 152, 1027–1034.
- 639 Menardi, G., Floris, R., Mignozzi, K., Boemo, B., Altobelli, A. and Cinco, M. (2008) Detection and genotyping of *Borrelia burgdorferi* in the trans-border area between Italy and Slovenia and evaluation of co-infection with *Anaplasma phagocytophilum* in ticks. *International Journal of Medical Microbiology* 298, 121–124.
- 641 M’Ghirbi, Y., Hurtado, A., Barandika, J., Khelif, K., Ketata, Z. and Bouattour, A. (2008) A molecular survey of *Theileria* and *Babesia* parasites in cattle, with a note on the distribution of ticks in Tunisia. *Parasitology Research* 103, 435–442.
- 642 Sarih, M., Jouda, F., Gern, L. and Postic, D. (2003) First isolation of *Borrelia burgdorferi sensu lato* from *Ixodes ricinus* ticks in Morocco. *Vector-Borne and Zoonotic Diseases* 3, 133–139.
- 643 Sarih, M., M’Ghirbi, Y., Bouattour, A., Gern, L., Baranton, G. and Postic, D. (2005) Detection and identification of *Ehrlichia* spp. in ticks collected in Tunisia and Morocco. *Journal of Clinical Microbiology* 43, 1127–1132.
- 644 Michalik, J., Hofman, T., Buczek, A., Skoracki, M. and Sikora, B. (2003) *Borrelia burgdorferi s.l.* in *Ixodes ricinus* (Acari: Ixodidae) ticks collected from vegetation and small rodents in recreational areas of the City of Poznań. *Journal of Medical Entomology* 40, 690–697.
- 645 Michalik, J., Skotarczak, B., Skoracki, M., Wodecka, B., Sikora, B., Hofman, T., Rymaszewska, A. and Sawczuk, M. (2005) *Borrelia burgdorferi sensu stricto* in yellow-necked mice and feeding *Ixodes ricinus* ticks in a forest habitat of west central Poland. *Journal of Medical Entomology* 42, 850–856.

- 649 Midilli, K., Gargili, A., Ergonul, O., Elevli, M., Ergin, S., Turan, N., Sengoz, G., Ozturk, R. and Bakar, M. (2009) The first clinical case due to AP92 like strain of Crimean-Congo hemorrhagic fever virus and a field survey. *BMC Infectious Diseases* 9:90, doi:10.1186/1471-2334-9-90.
- 652 Milutinović, M., Masuzawa, T., Tomanović, S., Radulović, Ž., Fukui, T. and Okamoto, Y. (2008) *Borrelia burgdorferi sensu lato*, *Anaplasma phagocytophilum*, *Francisella tularensis* and their co-infections in host-seeking *Ixodes ricinus* ticks collected in Serbia. *Experimental and Applied Acarology* 45, 171–183.
- 654 Milutinović, M., Radulović, Ž., Jovičić, V., Oreščanin, Z. (2004) Population dynamics and *Borrelia burgdorferi* infection rate of *Ixodes ricinus* ticks in the Belgrade area. *Acta Veterinaria* (Belgrade) 54, 219–225.
- 655 Milutinović, M., Radulović, Ž. and Tomanović, S. (2008) Assessment of the risk of contracting Lyme disease in areas with significant human presence. *Arquivo Brasileiro de Medicina Veterinaria e Zootecnia* 60, 121–129.
- 656 Misic-Majerus, L., Bujic, N., Madaric, V., Avšič-Županc, T. and Milinkovic, S. (2006) [Human anaplasmosis (ehrlichiosis).] *Acta Medica Croatica* 60, 411–419.
- 659 Monks, D., Fisher, M. and Forbes, N.A. (2006) *Ixodes frontalis* and avian tick-related syndrome in the United Kingdom. *Journal of Small Animal Practice* 47, 451–455.
- 661 Moretti, A., Grelloni, V., Principato, M., Leonardi, L., Moretta, I., Salvatori, R. and Agnetti, F. (2007) On the presence of parasites in nutria (*Myocastor coypus*, Molina, 1782) living in the Umbrian territory (central Italy): bio-sanitary evaluation. *Igiene Moderna* 2, 75–90.
- 664 Mouffok, N., Parola, P., Lepidi, H. and Raoult, D. (2009) Mediterranean spotted fever in Algeria – new trends. *International Journal of Infectious Diseases* 13, 227–235.
- 666 Movila, A. (2006) The prevalence of *Anaplasma phagocytophilum* and *Borrelia burgdorferi sensu lato* in *Ixodes ricinus* ticks (Acarina, Ixodidae) collected at the foci of Chisinau city, Republic of Moldova. *Bulletin of the University of Agricultural Sciences and Veterinary Medicine* 63, 355–360.
- 667 Movila, A., Uspenskaia, I., Toderas, I., Melnic, V. and Conovalov, J. (2006) Prevalence of *Borrelia burgdorferi sensu lato* and *Coxiella burnetti* in ticks collected in different biocenoses in the Republic of Moldova. *International Journal of Medical Microbiology* 296, 172–176.
- 668 Moyaert, H., Decostere, A., De Wilde, H., Liebisch, G., Maes, D., Deprez, P. and Haesebrouck, F. (2006) Seroprevalence of *Borrelia burgdorferi sensu lato* in horses in Flanders. *Vlaams Diergeneeskundig Tijdschrift* 75, 436–438.
- 669 Mrazek, V., Bartunek, P., Varejka, P., Janovska, D., Bina, R. and Hulinska, D. (2002) [Prevalence of anti-*Borrelia* antibodies in two populations.] *Epidemiologie Mikrobiologie Immunologie* 51, 19–22.
- 677 Nagore, D., García-Sanmartín, J., García-Pérez, A.L., Juste, R.A. and Hurtado, A. (2004) Identification, genetic diversity and prevalence of *Theileria* and *Babesia* species in a sheep population from northern Spain. *International Journal for Parasitology* 34, 1059–1067.
- 681 Nebreda Mayoral, T., Merino, F.J., Serrano, J.L., Fernández-Soto, P., Encinas, A. and Pérez-Sánchez, R. (2004) Detection of antibodies to tick salivary antigens among patients from a region of Spain. *European Journal of Epidemiology* 19, 79–83.
- 684 Nielsen, H., Fournier, P.E., Pedersen, I.S., Krarup, H., Ejlersen, T. and Raoult, D. (2004) Serological and molecular evidence of *Rickettsia helvetica* in Denmark. *Scandinavian Journal of Infectious Diseases* 36, 559–563.
- 686 Nijhof, A.M., Bodaan, C., Postigo, M., Nieuwenhuijs, H., Opsteegh, M., Franssen, L., Jebbink, L. and Jongejan, F. (2007) Ticks and associated pathogens collected from domestic animals in the Netherlands. *Vector-Borne and Zoonotic Diseases* 7, 585–595.
- 687 Niscigorska, J., Moranska, I. and Szych, Z. (2004) Serological markers of *Borrelia burgdorferi* infection among forestry workers in West Pomerania during a five-year period. *Advances in Agricultural Sciences* 9, 63–67.
- 691 Oehme, R., Hartelt, K., Backe, H., Brockmann, S. and Kimmig, P. (2001) Foci of tick-borne diseases in southwest Germany. *International Journal of Medical Microbiology* 291, 22–29.
- 695 Ornstein, K., Berglund, J., Bergstrom, S., Norrby, R. and Barbour, A.G. (2002) Three major Lyme *Borrelia* genospecies (*Borrelia burgdorferi sensu stricto*, *B. afzelii* and *B. garinii*) identified by PCR in cerebrospinal fluid from patients with neuroborreliosis in Sweden. *Scandinavian Journal of Infectious Diseases* 34, 341–346.
- 696 Ornstein, K., Berglund, J., Nilsson, I., Norrby, R. and Bergstrom, S. (2001) Characterization of Lyme borreliosis isolates from patients with erythema migrans and neuroborreliosis in southern Sweden. *Journal of Clinical Microbiology* 39, 1294–1298.
- 700 Oteo, J.A., Portillo, A., Santibáñez, S., Pérez-Martínez, L., Blanco, J.R., Jiménez, S., Ibarra, V., Pérez-Palacios, A. and Sanz, M. (2006) Prevalence of spotted fever group *Rickettsia* species detected in ticks in La Rioja, Spain. In: *Century of Rickettsiology: Emerging, Reemerging Rickettsioses, Molecular Diagnostics, and Emerging Veterinary Rickettsioses*. *Annals of the New York Academy of Sciences* 1078, 320–323.
- 701 Oteo, J.A., Gil, H., Barral, M., Pérez, A., Jiménez, S., Blanco, J.R., Martínez de Artola, V., García-Pérez, A. and Juste, R.A. (2001) Presence of granulocytic ehrlichia in ticks and serological evidence of human infection in La Rioja, Spain. *Epidemiology and Infection* 127, 353–358.

- 705 Oteo Revuelta, J.A., Blanco Ramos, J.R., Martínez de Artola, V., Grandival García, R., Ibarra Cucalon, V. and Dopereiro Gómez, R. (2000) [Migratory erythema (Lyme borreliosis). Clinicoepidemiologic features of 50 patients.] *Revista Clínica Española* 200, 60–63.
- 706 Ouhelli, H., Kachani, M., El Haj, N. and Raiss, S. (2004) Live vaccine against *Theileria annulata* and immunity duration. *Revue de Médecine Vétérinaire* 155, 472–475.
- 707 Oymar, K. and Tveitnes, D. (2009) Clinical characteristics of childhood Lyme neuroborreliosis in an endemic area of northern Europe. *Scandinavian Journal of Infectious Diseases* 41, 88–94.
- 708 Ozdarendeli, A., Aydin, K., Tonbak, S., Aktas, M., Altay, K., Koksall, I., Bolat, Y., Dumanli, N. and Kalkan, A. (2008) Genetic analysis of the mRNA segment of Crimean-Congo hemorrhagic fever virus strains in Turkey. *Archives of Virology* 153, 37–44.
- 710 Ozdemir, D., Sencan, I., Armakkaya, A.N., Karadenizli, A., Guclu, E., Sert, E., Emeksiz, M. and Kafali, A. (2007) Comparison of the 2000 and 2005 outbreaks of tularemia in the Duzce region of Turkey. *Japanese Journal of Infectious Diseases* 60, 51–52.
- 715 Pancewicz, S.A., Olszewska, B., Hermanowska-Szpakowicz, T., Kondrusik, M., Zajkowska, J.M., Grygorczuk, S. and Swierzbinska, R. (2001) [Epidemiologic aspect of lyme borreliosis among the inhabitants of Podlasie Province.] *Przegląd Epidemiologiczny* 55(Suppl. 3), 187–194.
- 718 Pantchev, N., Norden, N., Lorentzen, L., Rossi, M., Rossi, U., Brand, B. and Dyachenko, V. (2009) Current surveys on the prevalence and distribution of *Dirofilaria* spp. in dogs in Germany. *Parasitology Research* 105(Suppl. 1), S63–S74.
- 719 Pantchev, N., Schaper, R., Limousin, S., Norden, N., Weise, M. and Lorentzen, L. (2009) Occurrence of *Dirofilaria immitis* and tick-borne infections caused by *Anaplasma phagocytophilum*, *Borrelia burgdorferi sensu lato* and *Ehrlichia canis* in domestic dogs in France: results of a countrywide serologic survey. *Parasitology Research* 105(Suppl. 1), S101–S113.
- 720 Papa, A., Dalla, V., Petala, A., Maltezou, H.C. and Maltezos, E. (2009) Fatal Mediterranean spotted fever in Greece. *Clinical Microbiology and Infection* 16, 589–592.
- 721 Papa, A., Maltezou, H.C., Tsiodras, S., Dalla, V.G., Papadimitriou, T., Pierroutsakos, I., Kartalis, G.N. and Antoniadis, N. (2008) A case of Crimean-Congo haemorrhagic fever in Greece, June 2008. *Eurosurveillance* 14, 13.
- 723 Papa, A., Velo, E., Papadimitriou, E., Cahani, G., Kota, M. and Bino, S. (2009). Ecology of the Crimean-Congo hemorrhagic fever endemic area in Albania. *Vector-Borne and Zoonotic Diseases* 9, 713–716.
- 727 Parola, P. and Raoult, R. (2001) Molecular tools in the epidemiology of tick-borne bacterial diseases. *Annales de Biologie Clinique* 59, 177–182.
- 732 Paulauskas, A., Arnbrasiene, D., Radzijeuskaja, J., Rosef, O. and Turcinaviciene, J. (2008) Diversity in prevalence and genospecies of *Borrelia burgdorferi sensu lato* in *Ixodes ricinus* ticks and rodents in Lithuania and Norway. *International Journal of Medical Microbiology* 298, 180–187.
- 733 Paulauskas, A., Radzijeuskaja, J., Rosef, O., Turcinaviciene, J., Ambrasiene, D. and Makareviciute, M. (2006) Genetic variation of ticks (*Ixodes ricinus* L.) in the Lithuanian and Norwegian populations. *Experimental and Applied Acarology* 40, 259–270.
- 735 Pavlidou, V., Gerou, S., Diza, E., Antoniadis, A. and Papa, A. (2008) Genetic study of the distribution of Greek goat encephalitis virus in Greece. *Vector-Borne and Zoonotic Diseases* 8, 351–354.
- 736 Pavlidou, V., Geroy, S., Diza, E., Antoniadis, A. and Papa, A. (2007) Epidemiological study of tick-borne encephalitis virus in Northern Greece. *Vector-Borne and Zoonotic Diseases* 7, 611–615.
- 737 Pawelczyk, A., Bajer, A., Behnke, J.M., Gilbert, F.S. and Sinski, E. (2004) Factors affecting the component community structure of haemoparasites in common voles (*Microtus arvalis*) from the Mazury Lake District region of Poland. *Parasitology Research* 92, 270–284.
- 738 Pawelczyk, A. and Sinski, E. (2001) [Co-infection of *Borrelia garinii* and *B. afzelii* in a population of wild rodents from woodland.] *Wiadomości Parazytologiczne* 47, 741–746.
- 739 Pawelczyk, A. and Sinski, E. (2004) Prevalence of *Ixodes ricinus* infection with *Borrelia burgdorferi* s.l.: seasonal and annual variations. *Wiadomości Parazytologiczne* 50, 253–258.
- 741 Pecchioli, E., Hauffe, H.C., Tagliapietra, V., Bandi, C., Genchi, C. and Rizzoli, A. (2007) Genospecies of *Borrelia burgdorferi sensu lato* in *Ixodes ricinus* ticks from the autonomous Province of Trento, Italy. *International Journal of Medical Microbiology* 297, 53–59.
- 742 Pejchalova, K., Žáková, A., Mejzlikova, M., Halouzka, J., Dendis, M. (2007) Isolation, cultivation and identification of *Borrelia burgdorferi* genospecies from *Ixodes ricinus* ticks from the City of Brno, Czech Republic. *Annals of Agricultural and Environmental Medicine* 14, 75–79.
- 752 Piccolin, G., Benedetti, G., Doglioni, C., Lorenzato, C., Mancuso, S., Papa, N., Patton, N., Ramon, M.C., Zasio, C. and Bertiato, G. (2006) A study of the presence of *B. burgdorferi*, *Anaplasma* (previously *Ehrlichia*) *phagocytophilum*, *Rickettsia*, and *Babesia* in *Ixodes ricinus* collected within the territory of Belluno, Italy. *Vector-Borne and Zoonotic Diseases* 6, 24–31.

- 753 Pichon, B., Gilot, B. and Pérez-Eid, C. (2000) Detection of spirochaetes of *Borrelia burgdorferi* complex in the skin of cervids by PCR and culture. *European Journal of Epidemiology* 16, 869–873.
- 754 Pichon, B., Rogers, M., Egan, D. and Gray, J. (2005) Blood-meal analysis for the identification of reservoir hosts of tick-borne pathogens in Ireland. *Vector-Borne and Zoonotic Diseases* 5, 172–180.
- 755 Pietrobelli, M., Cancrini, G., Moretti, A. and Tampieri, M.P. (2007) Animal babesiosis: an emerging zoonosis also in Italy? *Parassitologia* (Rome) 49, 33–38.
- 763 Podsiadly, E., Chmielewski, T., Marczak, R., Sochon, E. and Tylewska-Wierzbanowska, S. (2007) *Bartonella henselae* in the human environment in Poland. *Scandinavian Journal of Infectious Diseases* 39, 956–962.
- 769 Popa, E. and Teodorescu, I. (2006) Ixodidae species distribution in Romania (1998–2004). *Slovenian Veterinary Research* 43, 281–284.
- 772 Portillo, A., Santibáñez, P., Santibáñez, S., Pérez-Martínez, L. and Oteo, J.A. (2008) Detection of *Rickettsia* spp. in *Haemaphysalis* ticks collected in La Rioja, Spain. *Vector-Borne and Zoonotic Diseases* 8, 653–658.
- 773 Portillo, A., Santos, A.S., Santibáñez, S., Pérez-Martínez, L., Blanco, J.R., Ibarra, V. and Oteo, J.A. (2005) Detection of a non-pathogenic variant of *Anaplasma phagocytophilum* in *Ixodes ricinus* from La Rioja, Spain. In: *Rickettsioses: From Genome to Proteome, Pathobiology, and Rickettsiae as an International Threat*. *Annals of the New York Academy of Sciences* 1063, 333–336.
- 775 Psaroulaki, A., Chochoiak, D., Sandalakis, V., Vranakis, I., Ioannou, I. and Tselentis, Y. (2009) Phylogenetic analysis of *Anaplasma ovis* strains isolated from sheep and goats using *groEL* and *mps4* genes. *Veterinary Microbiology* 138, 394–400.
- 776 Psaroulaki, A., Germanakis, A., Gikas, A., Scoulica, E. and Tselentis, Y. (2005) Simultaneous detection of *Rickettsia mongolotimonae* in a patient and in a tick in Greece. *Journal of Clinical Microbiology* 43, 3558–3559.
- 777 Psaroulaki, A., Hadjichristodoulou, C., Loukaidis, F., Soteriades, E., Konstantinidis, A., Papastergiou, P., Ioannidou, M.C. and Tselentis, Y. (2006) Epidemiological study of Q fever in humans, ruminant animals, and ticks in Cyprus using a geographical information system. *European Journal of Clinical Microbiology and Infectious Diseases* 25, 576–586.
- 778 Psaroulaki, A., Spyridaki, I., Ioannidis, A., Babalis, T., Gikas, A. and Tselentis, T. (2003) First isolation and identification of *Rickettsia conorii* from ticks collected in the region of Fokida in central Greece. *Journal of Clinical Microbiology* 41, 3317–3319.
- 780 Pugliese, A., Gennero, L., Boffito, M. and Vidotto, V. (2002) Seroprevalence study of tick borne encephalitis in Turin province. *Panminerva Medica* 44, 253–255.
- 781 Punda-Polić, V., Petrovec, M., Trilar, T., Duh, D., Bradaric, N., Klismanic, Z. and Avšič-Županc, T. (2002) Detection and identification of spotted fever group rickettsiae in ticks collected in southern Croatia. *Experimental and Applied Acarology* 28, 169–176.
- 782 Quessada, T., Martial-Convert, F., Arnaud, S., de la Vallee, H.L., Gilot, B. and Pichot, J. (2003) Prevalence of *Borrelia burgdorferi* species and identification of *Borrelia valaisiana* in questing *Ixodes ricinus* in the Lyon region of France as determined by polymerase chain reaction-restriction fragment length polymorphism. *European Journal of Clinical Microbiology and Infectious Diseases* 22, 165–173.
- 784 Racz, G.R., Ban, E., Ferenczi, E. and Berencsi, G. (2006) A simple spatial model to explain the distribution of human tick-borne encephalitis cases in Hungary. *Vector-Borne and Zoonotic Diseases* 6, 369–378.
- 785 Radulovic, Z., Milutinovic, M. and Orescanin, Z. (2004) Activity parameters of *Borrelia*-infected and noninfected *Ixodes ricinus* ticks in host seeking under laboratory conditions. *Veterinarski Glasnik* 58, 595–605.
- 794 Rauter, C., Oehme, R., Diterich, I., Engele, M. and Hartung, T. (2002) Distribution of clinically relevant *Borrelia* genospecies in ticks assessed by a novel, single-run, real-time PCR. *Journal of Clinical Microbiology* 40, 36–43.
- 798 Renaud, I., Cachin, C. and Gerster, J.C. (2004) Good outcomes of Lyme arthritis in 24 patients in an endemic area of Switzerland. *Joint Bone Spine* 71, 39–43.
- 800 Rhalem, A., Sahibi, H., Lasri, S., Johnson, W.C., Kappmeyer, L.S., Hamidouch, A., Knowles, D.P. and Goff, W.L. (2001) Validation of a competitive enzyme-linked immunosorbent assay for diagnosing *Babesia equi* infections of Moroccan origin and its use in determining the seroprevalence of *B. equi* in Morocco. *Journal of Veterinary Diagnostic Investigation* 13, 249–251.
- 802 Rinaldi, L., Otranto, D., Veneziano, V., Milillo, P., Buono, V., Iori, A., Di Giulio, G. and Cringoli, G. (2004) Cross-sectional survey of ticks (Acari: Ixodidae) in sheep from an area of the southern Italian Apennines. *Experimental and Applied Acarology* 33, 145–151.
- 804 Rizzoli, A., Neteler, M., Rosa, R., Versini, W., Cristofolini, A., Bregoli, M., Buckley, A. and Gould, E.A. (2006) Early detection of tick-borne encephalitis virus spatial distribution and activity in the province of Trento, northern Italy. *Geospatial Health* 1, 169–176.
- 806 Rizzoli, A., Rosa, R., Mantelli, B., Pecchioli, E., Hauffe, H., Taghapietra, V., Beninati, T., Neteler, N. and Genchi, C. (2004) *Ixodes ricinus*, transmitted diseases and reservoirs. *Parassitologia* (Rome) 46, 119–122.

- 808 Robinson, M.T., Shaw, S.E. and Morgan, E.R. (2009) *Anaplasma phagocytophilum* infection in a multi-species deer community in the New Forest, England. *European Journal of Wildlife Research* 55, 439–442.
- 810 Roed, K.H., Hasle, G., Midthjell, V., Skretting, G. and Leinaas, H.P. (2006) Identification and characterization of 17 microsatellite primers for the tick, *Ixodes ricinus*, using enriched genomic libraries. *Molecular Ecology Notes* 6, 1165–1167.
- 820 Rudolf, I., Golovchenko, M., Sikutová, S., Rudenko, N., Grubhoffer, L. and Hubálek, Z. (2005) *Babesia microti* (Piroplasmida: Babesiidae) in nymphal *Ixodes ricinus* (Acari: Ixodidae) in the Czech Republic. *Folia Parasitologica* 52, 274–276.
- 821 Ruiz-Fons, F., Fernández-de-Mera, I.G., Acevedo, P., Höfle, U., Vicente, J., de la Fuente, J. and Gortazar, C. (2006) Ixodid ticks parasitizing Iberian red deer (*Cervus elaphus hispanicus*) and European wild boar (*Sus scrofa*) from Spain: geographical and temporal distribution. *Veterinary Parasitology* 140, 133–142.
- 822 Rymaszewska, A. (2005) Identification of *Anaplasma phagocytophilum* on the basis of a fragment of the 16S rDNA gene. *Folia Biologica-Krakow* 53, 199–203.
- 825 Sahin, M., Atabay, H.I., Bicakci, Z., Unver, A. and Otlu, S. (2007) Outbreaks of tularemia in Turkey. *Kobe Journal of Medical Science* 53, 37–42.
- 827 Samardzic, S., Marinkovic, T., Marinkovic, D., Djuricic, B., Ristanovic, E., Simovic, T., Lako, B., Vukov, B., Bozovic, B. and Gligic, A. (2008) Prevalence of antibodies to rickettsiae in different regions of Serbia. *Vector-Borne and Zoonotic Diseases* 8, 219–224.
- 829 Sandor, H. and Farkas, R. (2005) First autochthonous infestation of dogs with *Rhipicephalus sanguineus* (Acari: Ixodidae) in Hungary: case report and review of current knowledge on this tick species. *Magyar Allatorvosok Lapja* 127, 623–629.
- 830 Sanogo, Y.U., Zeaiter, Z., Caruso, G., Merola, F., Shpynov, S., Brouqui, P. and Raoult, D. (2003) *Bartonella henselae* in *Ixodes ricinus* ticks (Acari: Ixodida) removed from humans, Belluno Province, Italy. *Emerging Infectious Diseases* 9, 329–332.
- 831 Santino, I., Del Piano, M., Sessa, R., Favia, G. and Iori, A. (2002) Detection of four *Borrelia burgdorferi* genospecies and first report of human granulocytic ehrlichiosis agent in *Ixodes ricinus* ticks collected in central Italy. *Epidemiology and Infection* 129, 93–97.
- 832 Santino, I., Grillo, R., Nicoletti, M., Santapaola, D., Speziale, D., Sessa, R., Fadda, G. and Del Piano, M. (2002) Prevalence of IgG antibodies against *Borrelia burgdorferi* s.l. and *Ehrlichia phagocytophila* in sera of patients presenting symptoms of Lyme disease in a central region of Italy. *International Journal of Immunopathology and Pharmacology* 15, 245–248.
- 833 Santino, I., Iori, A., Nicoletti, M., Valletta, S., Cimmino, C., Scoarughi, G.L., Santapaola, D., Sessa, R. and Del Piano, M. (2003) Prevalence of *Borrelia burgdorferi sensu lato* genospecies and of the human granulocytic ehrlichiosis (HGE) agent in *Ixodes ricinus* ticks collected in the area of Monti Lepini, Italy. *International Journal of Immunopathology and Pharmacology* 16, 105–108.
- 836 Santos, A.S., Alexandre, N., Sousa, R., Nuncio, M.S., Bacellar, F. and Dumler, J.S. (2009) Serological and molecular survey of *Anaplasma* species infection in dogs with suspected tickborne disease in Portugal. *Veterinary Record* 164, 168–171.
- 838 Santos, A.S., Santos-Silva, M.M., de Sousa, R., Bacellar, F. and Dumler, J.S. (2009) PCR-based survey of *Anaplasma phagocytophilum* in Portuguese ticks (Acari: Ixodidae). *Vector-Borne and Zoonotic Diseases* 9, 33–40.
- 843 Sawczuk, M., Maciejewska, A. and Skotarczak, B. (2008) Identification and molecular characterization of *Theileria* sp infecting red deer (*Cervus elaphus*) in northwestern Poland. *European Journal of Wildlife Research* 54, 225–230.
- 844 Sayin, F., Dinçer, Ş., Karaer, Z., Çakmak, A., İnci, A., Yukarı, B.A., Eren, H., Vatanserver, V. and Nalbantoğlu, S. (2003) Studies on the epidemiology of tropical theileriosis (*Theileria annulata* infection) in cattle in Central Anatolia, Turkey. *Tropical Animal Health and Production* 35, 521–539.
- 845 Sayin, F., Dinçer, Ş., Karaer, Z., Çakmak, A., Zeybek, H., DüNDAR, B., Nalbantoğlu, S., Vatanserver, Z., Yaralı, C., and Deniz, A. (2005) Epidemiological investigations of tropical theileriosis in cattle. *Etlik Veteriner Mikrobiyoloji Dergisi* 16, 43–56.
- 847 Scali, S., Manfredi, M.T. and Guidali, F. (2001) *Lacerta bilineata* (Reptilia, Lacertidae) as a host of *Ixodes ricinus* (Acari, Ixodidae) in a protected area of northern Italy. *Parassitologia (Rome)* 43, 165–168.
- 848 Schaarschmidt, D., Oehme, R., Kimmig, P., Hesch, R.D.D. and Englisch, S. (2001) Detection and molecular typing of *Borrelia burgdorferi sensu lato* in *Ixodes ricinus* ticks and in different patient samples from southwest Germany. *European Journal of Epidemiology* 17, 1067–1074.
- 851 Schmitt, M., Encrenaz, N., Chubilleau, C. and Verrier, A. (2006) Epidemiological data on Lyme disease in Alsace, Limousin and Rhône-Alpes. *Bulletin Epidemiologique Hebdomadaire* 27, 202–203.
- 855 Schwanda, M., Oertli, S., Frauchiger, B. and Krause, M. (2000) Tick-borne meningo-encephalitis in Canton Thurgau: a clinical and epidemiological analysis. *Schweizerische Medizinische Wochenschrift* 130, 1447–1455.

- 857 Schwarz, A., Maier, W.A., Kistemann, T. and Kampen, H. (2009) Analysis of the distribution of the tick *Ixodes ricinus* L. (Acari: Ixodidae) in a nature reserve of western Germany using geographic information systems. *International Journal of Hygiene and Environmental Health* 212, 87–96.
- 862 Selmi, M., Martello, E., Bertolotti, L., Bisanzio, D. and Tomassone, L. (2009) *Rickettsia slovaca* and *Rickettsia raoultii* in *Dermacentor marginatus* ticks collected on wild boars in Tuscany, Italy. *Journal of Medical Entomology* 46, 1490–1493.
- 864 Sfar, N., M’Ghirbi, Y., Letaief, A., Parola, P., Bouattour, A. and Raoult, R. (2008) First report of *Rickettsia monacensis* and *Rickettsia helvetica* from Tunisia. *Annals of Tropical Medicine and Parasitology* 102, 561–564.
- 866 Shaw, S., Kenny, M., Day, M., Birtles, R., Holden, D., German, A., Craven, M., Chandler, M. and Garosi, L. (2001) Canine granulocytic ehrlichiosis in the UK. *Veterinary Record* 148, 727–728.
- 878 Simser, J.A., Palmer, A.T., Fingerle, V., Wilske, B., Kurtti, T.J. and Munderloh, U.G. (2002) *Rickettsia monacensis* sp nov., a spotted fever group rickettsia, from ticks (*Ixodes ricinus*) collected in a European city park. *Applied and Environmental Microbiology* 68, 4559–4566.
- 879 Sinski, E., Bajer, A., Welc, R., Pawelczyk, A., Ogrzewalska, M. and Behnke, J.M. (2006) *Babesia microti*: prevalence in wild rodents and *Ixodes ricinus* ticks from the Mazury Lakes District of north-eastern Poland. *International Journal of Medical Microbiology* 296, 137–143.
- 880 Sinski, E., Pawelczyk, A., Bajer, A. and Behnke, J.M. (2006) Abundance of wild rodents, ticks and environmental risk of Lyme borreliosis: a longitudinal study in an area of Mazury Lakes district of Poland. *Annals of Agricultural and Environmental Medicine* 13, 295–300.
- 882 Siret, V., Barataud, D., Prat, M., Vaillant, V., Ansart, S., Le Coustumier, A., Vaissaire, J., Raffi, F., Garre, M. and Capek, I. (2006) An outbreak of airborne tularaemia in France, August 2004. *Eurosurveillance* 11, 58–60.
- 884 Siroky, P., Petzelkova, K.J., Kamler, M., Mihalca, A.D. and Modry, D. (2006) *Hyalomma aegyptium* as dominant tick in tortoises of the genus *Testudo* in Balkan countries, with notes on its host preferences. *Experimental and Applied Acarology* 40, 279–290.
- 887 Skarpaas, T., Sundøy, A., Bruu, A.L., Vene, S., Pedersen, J., Eng, P.G. and Csángó, P.A. (2002) [Tick-borne encephalitis in Norway.] *Tidsskrift for Den Norske Lægeforening* 122, 30–32.
- 888 Skarphedinsson, S., Jensen, P.M. and Kristiansen, K. (2005) Survey of tickborne infections in Denmark. *Emerging Infectious Diseases* 11, 1055–1061.
- 890 Skotarczak, B. and Cichocka, A. (2001) PCR detection of *Babesia microti* and *Babesia divergens* in ticks. *Journal of Protozoology Research* 11, 26–31.
- 891 Skotarczak, B. and Cichocka, A. (2001) The occurrence DNA of *Babesia microti* in ticks [of] *Ixodes ricinus* in the forest areas of Szczecin. *Folia Biologica (Kraków)* 49, 247–250.
- 893 Skotarczak, B. and Wodecka, B. (2000) The occurrence of *Ixodes ricinus* in the select recreative areas in the province of Szczecin. Part II. *Wiadomości Parazytologiczne* 46, 265–272.
- 894 Skotarczak, B. and Wodecka, B. (2002) The occurrence of *Ixodes ricinus* in the selected recreative areas in the province of Szczecin. Part III. *Wiadomości Parazytologiczne* 48, 201–206.
- 897 Skotarczak, B., Wodecka, B. and Cichocka, A. (2002) Coexistence DNA of *Borrelia burgdorferi sensu lato* and *Babesia microti* in *Ixodes ricinus* ticks from north-western Poland. *Annals of Agricultural and Environmental Medicine* 9, 25–28.
- 899 Skuballa, J., Oehme, R., Hartelt, K., Petney, T., Bucher, T., Kimmig, P. and Taraschewski, H. (2007) European hedgehogs as hosts for *Borrelia* spp., Germany. *Emerging Infectious Diseases* 13, 952–953.
- 900 Slovak, M. (2003) Finding of the endoparasitoid *Ixodiphagus hookeri* (Hymenoptera, Encyrtidae) in *Haemaphysalis concinna* ticks in Slovakia. *Biologia* 58, 890–890.
- 904 Smith, R., O’Connell, S. and Palmer, S. (2000) Lyme disease surveillance in England and Wales, 1986–1998. *Emerging Infectious Diseases* 6, 404–407.
- 907 Solano-Gallego, L., Llull, J., Osso, M., Hegarty, B. and Breitschwerdt, E. (2006) A serological study of exposure to arthropod-borne pathogens in dogs from northeastern Spain. *Veterinary Research* 37, 231–244.
- 912 Sparagano, O.A.E., de Vos, A.P., Paoletti, B., Camma, C., de Santis, P., Otranto, D. and Giangaspero, A. (2003) Molecular detection of *Anaplasma platys* in dogs using polymerase chain reaction and reverse line blot hybridization. *Journal of Veterinary Diagnostic Investigation* 15, 527–534.
- 914 Spitalska, E., Literak, I., Sparagano, O.A.E., Golovchenko, M. and Kocianova, E. (2006) Ticks (Ixodidae) from passerine birds in the Carpathian region. *Wiener Klinische Wochenschrift* 118, 759–764.
- 917 Sprong, H., Wielinga, P.R., Fonville, M., Reusken, C., Brandenburg, A.H., Borgsteede, F., Gaasenbeek, C. and van der Giessen, J.W.B. (2009) *Ixodes ricinus* ticks are reservoir hosts for *Rickettsia helvetica* and potentially carry flea-borne *Rickettsia* species. *Parasites and Vectors* 2, 111–120.
- 925 Sroka, J., Szymanska, J. and Wójcik-Fatla, A. (2009) The occurrence of *Toxoplasma gondii* and *Borrelia burgdorferi sensu lato* in *Ixodes ricinus* ticks from east Poland with the use of PCR. *Annals of Agricultural and Environmental Medicine* 16, 313–319.

- 928 Stanczak, J. (2006) Detection of spotted fever group (SFG) rickettsiae in *Dermacentor reticulatus* (Acari: Ixodidae) in Poland. *International Journal of Medical Microbiology* 296, 144–148.
- 930 Stanczak, J., Okroy-Rysop, G., Racewicz, M., Kubica-Biernat, B. and Kruminis-Lozowska, W. (2002) Prevalence of *Borrelia burgdorferi sensu lato* in the selected *Ixodes ricinus* (Acari: Ixodidae) population in Weilburg forests, Hesse, Germany. *International Journal of Medical Microbiology* 291, 206–209.
- 931 Stanczak, J., Racewicz, M., Kruminis-Lozowska, W. and Kubica-Biernat, B. (2002) Coinfection of *Ixodes ricinus* (Acari: Ixodidae) in northern Poland with the agents of Lyme borreliosis (LB) and human granulocytic ehrlichiosis (HGE). *International Journal of Medical Microbiology* 291, 198–201.
- 932 Stanczak, J., Racewicz, M., Michalik, J. and Buczek, A. (2008) Distribution of *Rickettsia helvetica* in *Ixodes ricinus* tick populations in Poland. *International Journal of Medical Microbiology* 298, 231–234.
- 934 Stefancikova, A., Bhide, M., Pet'ko, B., Stanko, M., Mosansky, L., Fricova, J., Derdakova, M. and Travnicek, M. (2004) Anti-*Borrelia* antibodies in rodents: important hosts in ecology of Lyme disease. *Annals of Agricultural and Environmental Medicine* 11, 209–213.
- 936 Stefancikova, A., Derdakova, M., Lencakova, D., Ivanova, R., Stanko, M., Cislakova, L. and Pet'ko, B. (2008) Serological and molecular detection of *Borrelia burgdorferi sensu lato* and Anaplasmataceae in rodents. *Folia Microbiologica* 53, 493–499.
- 939 Stefancikova, A., Stepanova, G., Derdakova, M., Pet'ko, B., Kysel'ova, J., Ciganek, J., Strojny, L., Cislakova, L. and Travnicek, M. (2002) Serological evidence for *Borrelia burgdorferi* infection associated with clinical signs in dairy cattle in Slovakia. *Veterinary Research Communications* 26, 601–611.
- 940 Stefancikova, A., Stepanova, G., Pet'ko, B., Nadzamova, D., Szestakova, E., Skardova, I. and Leinstein, R. (2000) Prevalence of antibodies to *Borrelia burgdorferi* in horses of East Slovakia. *Veterinarni Medicina* 45, 227–231.
- 941 Stefanidesova, K., Kocianova, E., Boldis, V., Kostanova, Z., Kanka, P., Nemethova, D. and Spitalska, E. (2008) Evidence of *Anaplasma phagocytophilum* and *Rickettsia helvetica* infection in free-ranging ungulates in central Slovakia. *European Journal of Wildlife Research* 54, 519–524.
- 942 Stefanoff, P., Siennicka, J., Kaba, J., Nowicki, M., Ferenczi, E. and Gut, W. (2008) Identification of new endemic tick-borne encephalitis foci in Poland – a pilot seroprevalence study in selected regions. *International Journal of Medical Microbiology* 298, 102–107.
- 945 Stepanova-Tresova, G., Pet'ko, B., Stefancikova, A. and Nadzamova, D. (2000) Occurrence of *Borrelia burgdorferi sensu stricto*, *Borrelia garinii* and *Borrelia afzelii* in the *Ixodes ricinus* ticks from Eastern Slovakia. *European Journal of Epidemiology* 16, 105–109.
- 946 Stergard, N.H. (2000) Borreliosis and ehrlichiosis in hunting dogs in Vendsyssel. *Dansk Veterinartidsskrift* 83, 6–9.
- 948 Sting, R., Breitling, N., Oehme, R. and Kimmig, P. (2004) Studies on the prevalence of *Coxiella burnetii* in sheep and ticks of the genus *Dermacentor* in Baden-Wuerttemberg. *Deutsche Tierärztliche Wochenschrift* 111, 390–394.
- 953 Stojek, N.M. and Dutkiewicz, J. (2004) Studies on the occurrence of Gram-negative bacteria in ticks: *Ixodes ricinus* as a potential vector of *Pasteurella*. *Annals of Agricultural and Environmental Medicine* 11, 319–322.
- 956 Strzelczyk, J., Wiczkowski, A., Spausta, G., Ciarkowska, J., Zalewska-Ziob, M., Izdebska-Straszak, G., Strzelczyk, J. and Kasperczyk, J. (2006) [Presence of spirochetes of *Borrelia burgdorferi sensu lato* in *Ixodes ricinus* ticks in the recreational area of Tarnowskie Gory and Zabrze districts in 2001–2003.] *Przegląd Epidemiologiczny* 60, 589–95.
- 959 Stuen, S., Oppegaard, A.S., Bergstrom, K. and Moum, T. (2005) *Anaplasma phagocytophilum* infection in North Norway. The first laboratory confirmed case. *Acta Veterinaria Scandinavica* 46, 167–171.
- 963 Stunzner, D., Hubálek, Z., Halouzka, J., Wendelin, I., Sixl, W. and Marth, E. (2006) Prevalence of *Borrelia burgdorferi sensu lato* in the tick *Ixodes ricinus* in the Styrian mountains of Austria. *Wiener Klinische Wochenschrift* 118, 682–685.
- 964 Supergan, M. and Karbowski, G. (2009) The estimation scale of endangerment with tick attacks on recreational towns areas. *Przegląd Epidemiologiczny* 63, 67–71.
- 968 Suss, J., Schrader, C., Abel, U., Bormane, A., Duks, A. and Kalnina, V. (2002) Characterization of tick-borne encephalitis (TBE) foci in Germany and Latvia (1997–2000). *International Journal of Medical Microbiology* 291, 34–42.
- 969 Suss, J., Schrader, C., Falk, U. and Wohanka, N. (2004) Tick-borne encephalitis (TBE) in Germany – epidemiological data, development of risk areas and virus prevalence in field-collected ticks and in ticks removed from humans. *International Journal of Medical Microbiology* 293, 69–79.
- 973 Svendsen, C.B., Krogfelt, K. and Jensen, P. (2009) Detection of *Rickettsia* spp. in Danish ticks (Acari: Ixodes ricinus) using real-time PCR. *Scandinavian Journal of Infectious Diseases* 41, 70–72.
- 978 Tabar, M.-D., Francino, O., Altet, L., Sánchez, A., Ferrer, L. and Roura, X. (2009) PCR survey of vectorborne pathogens in dogs living in and around Barcelona, an area endemic for leishmaniasis. *Veterinary Record* 164, 112–116.

- 985 Theodoropoulos, G., Gazouli, A., Ikonomopoulos, J.A., Kantzoura, V. and Kominakis, A. (2006) Determination of prevalence and risk factors of infection with *Babesia* in small ruminants from Greece by polymerase chain reaction amplification. *Veterinary Parasitology* 135, 99–104.
- 989 Toledo, A., Jado, I., Olmeda, A.S., Casado-Nistal, M.A., Gil, H., Escudero, R. and Anda, P. (2009) Detection of *Coxiella burnetii* in ticks collected from central Spain. *Vector-Borne and Zoonotic Diseases* 9, 465–468.
- 990 Tomaszewicz, K., Modrzewska, R., Buczek, A., Stanczak, J. and Maciukajc, J. (2004) The risk of exposure to *Anaplasma phagocytophilum* infection in mid-eastern Poland. *Annals of Agricultural and Environmental Medicine* 11, 261–264.
- 991 Tonbak, S., Aktas, M., Altay, K., Azkur, A.K., Kalkan, A., Bolat, Y., Dumanli, N. and Ozdarendeli, A. (2006) Crimean-Congo hemorrhagic fever virus: genetic analysis and tick survey in Turkey. *Journal of Clinical Microbiology* 44, 4120–4124.
- 992 Torina, A., Alongi, A., Naranjo, V., Estrada-Peña, A., Vicente, J., Scimeca, S., Marino, A.M.F., Salina, F., Caracappa, S. and de la Fuente, J. (2008) Prevalence and genotypes of *Anaplasma* species and habitat suitability for ticks in a Mediterranean ecosystem. *Applied and Environmental Microbiology* 74, 7578–7584.
- 994 Torina, A., Alongi, A., Naranjo, V., Scirneca, S., Nicosia, S., Di Marco, V., Caracappa, S., Kocan, K.M. and de la Fuente, J. (2008) Characterization of *Anaplasma* infections in Sicily, Italy. In: *Animal Biodiversity and Emerging Diseases: Prediction and Prevention. Annals of the New York Academy of Sciences* 1149, 90–93.
- 995 Torina, A. and Caracappa, S. (2006) Dog tick borne diseases in Sicily. *Parassitologia (Rome)* 48, 145–147.
- 996 Torina, A. and Caracappa, S. (2007) Anaplasmosis in cattle in Italy. *Veterinary Research Communications* 31, 73–78.
- 997 Torina, A. and Caracappa, S. (2007) Babesiosis in Italy: an overview. *Parassitologia (Rome)* 49, 23–28.
- 998 Torina, A., Khoury, C., Caracappa, S. and Maroli, M. (2006) Ticks infesting livestock on farms in western Sicily, Italy. *Experimental and Applied Acarology* 38, 75–86.
- 999 Torina, A., Vicente, J., Alongi, A., Scimeca, S., Turla, R., Nicosia, S., Di Marco, V., Caracappa, S. and de la Fuente, J. (2007) Observed prevalence of tick-borne pathogens in domestic animals in Sicily, Italy during 2003–2005. *Zoonoses and Public Health* 54, 8–15.
- 1005 Tringali, G., Vitale, G., Sahibi, H., Rhalem, A., Mocciano, C. and Mansueto, S. (2001) Epidemiologia di *Ehrlichia* in Sicilia Occidentale: prevalenza di anticorpi anti-*Ehrlichia* in sieri umani e animali. [Epidemiology of *Ehrlichia* in western Sicily: prevalence of anti-*Ehrlichia* antibodies in human and animal sera.] *Acta Medica Mediterranea* 17, 161–164.
- 1007 Tsachev, I., Zarkov, I., Kairakova, B. and Papadogiannakis, E. (2008) Lyme borreliosis in dogs: distribution and epidemiology. *Trakia Journal of Sciences* 6(Suppl. 1), 116–122.
- 1008 Tuncer, D., Mutlu, G., Karaer, Z., Sayin, F. and Tuncer, L.B. (2004) Seasonal occurrence of ticks on goats and *Borrelia burgdorferi* influence in *Ixodes ricinus* in Antalya region. *Türkiye Parazitoloji Dergisi* 28, 158–160.
- 1009 Turcinaviciene, J., Ambrasiene, D., Paulauskas, A., Radzijeuskaja, J., Rosef, O. and Zygutiene, M. (2006) The prevalence and distribution of *Borrelia burgdorferi sensu lato* in host seeking *Ixodes ricinus* ticks in Lithuania. *Biologia*, 1, 64–68.
- 1011 Turk, N., Milas, Z., Margaletic, J., Turk, R., Barbic, L., Konjevic, D., Peric, S., Stritof, Z. and Staresina, V. (2008) The role of fat dormouse (*Glis glis* L.) as reservoir host for spirochete *Borrelia burgdorferi sensu lato* in the region of Gorski Kotar, Croatia. *European Journal of Wildlife Research* 54, 117–121.
- 1012 Ulutaş, B., Bayramlı, G. and Karageç, T. (2007) First case of *Anaplasma (Ehrlichia) platys* infection in a dog in Turkey. *Turkish Journal of Veterinary and Animal Sciences* 31, 279–282.
- 1013 Ünver, A., Rikihisa, Y., Borku, K., Ozkanlar, Y. and Hanedan, B. (2005) Molecular detection and characterization of *Ehrlichia canis* from dogs in Turkey. *Berliner und Münchener Tierärztliche Wochenschrift* 118, 300–304.
- 1020 Vascilo, I., Ambrasiene, D., Turcinaviciene, J. and Zygutiene, M. (2004) Population dynamics of *Ixodes ricinus* ticks and the rate of infection with *Borrelia burgdorferi sensu lato*. *Acta Zoologica Lituanica* 14, 19–25.
- 1024 Vassallo, M., Pichon, B., Cabaret, J., Figureau, C.U. and Pérez-Eid, C. (2000) Methodology for sampling questing nymphs of *Ixodes ricinus* (Acari: Ixodidae), the principal vector of Lyme disease in Europe. *Journal of Medical Entomology* 37, 335–339.
- 1026 Vennestrom, J., Egholm, H. and Jensen, P.M. (2008) Occurrence of multiple infections with different *Borrelia burgdorferi* genospecies in Danish *Ixodes ricinus* nymphs. *Parasitology International* 57, 32–37.
- 1032 Voldoire, E., Giraud, N., Vassallo, N. and Alogninouwa, T. (2002) A case of bovine ehrlichiosis in the Rhône-Alpes region. *Point Vétérinaire* 33, 68–70.
- 1035 Vostal, K. and Žáková, A. (2003) Two-year study of examination of blood from wild rodents for the presence of antiborrelian antibodies. *Annals of Agricultural and Environmental Medicine* 10, 203–206.
- 1039 Wahba, A.A., El-Refaii, M.A.H., Shabana, M.S. and Moursi, M.K. (2001) Investigation of some tick species of cattle and buffaloes in Ismailia Governorate. *Egyptian Journal of Agricultural Research* 79, 1151–1162.

- 1040 Walker, A.R., Alberdi, M.P., Urquhart, K.A. and Rose, H. (2001) Risk factors in habitats of the tick *Ixodes ricinus* influencing human exposure to *Ehrlichia phagocytophila* bacteria. *Medical and Veterinary Entomology* 15, 40–49.
- 1045 Weidmann, M., Schmidt, P., Hufert, F.T., Krivanec, K. and Meyer, H. (2006) Tick-borne encephalitis virus in *Clethrionomys glareolus* in the Czech Republic. *Vector-Borne and Zoonotic Diseases* 6, 379–381.
- 1046 Welc-Faleciak, R., Bajer, A., Behnke, J.M. and Sinski, E. (2008) Effects of host diversity and the community composition of hard ticks (Ixodidae) on *Babesia microti* infection. *International Journal of Medical Microbiology* 298, 235–242.
- 1050 Wielinga, P.R., Gaasenbeek, C., Fonville, M., de Boer, A., de Vries, A., Dimmers, W., Jagers, G.A.O., Schouls, L.M., Borgsteede, F. and van der Giessen, J.W.B. (2006) Longitudinal analysis of tick densities and *Borrelia*, *Anaplasma*, and *Ehrlichia* infections of *Ixodes ricinus* ticks in different habitat areas in the Netherlands. *Applied and Environmental Microbiology* 72, 7594–7601.
- 1053 Winkelmayer, R., Vodnansky, M., Paulsen, P., Gansterer, A. and Treml, F. (2005) Explorative study on the seroprevalence of *Brucella*, Francisella, and *Leptospira* antibodies in the European hare (*Lepus europaeus* Pallas) of the Austrian–Czech border region. *Wiener Tierärztliche Monatsschrift* 92, 131–135.
- 1054 Wittesjo, B., Bjoersdorff, A., Eliasson, I. and Berglund, J. (2001) First long-term study of the seroresponse to the agent of human granulocytic ehrlichiosis among residents of a tick-endemic area of Sweden. *European Journal of Clinical Microbiology and Infectious Diseases* 20, 173–178.
- 1058 Woessner, R., Grauer, M.T., Falk, U., Gaertner, B., Mueller-Lantsch, N., Haass, A. and Treib, J. (2000) Tick-borne encephalitis in low-risk areas. *Deutsche Medizinische Wochenschrift* 125, 599–602.
- 1059 Woessner, R., Muhl, A., von Arnim, W.H. and Treib, J. (2001) Autochthone Fälle der Frühsommer-Meningoenzephalitis in Rheinland-Pfalz. [Autochthonous cases of tick-borne encephalitis in Rhineland-Palatinate.] *Der Nervenarzt* 72, 147–149.
- 1061 Wójcik-Fatla, A., Cisak, E., Chmielewska-Badora, J., Zwoliński, J., Buczek, A. and Dutkiewicz, J. (2006) Prevalence of *Babesia microti* in *Ixodes ricinus* ticks from Lublin region (eastern Poland). *Annals of Agricultural and Environmental Medicine* 13, 319–322.
- 1062 Wójcik-Fatla, A., Szymanska, J., Wdowiak, L., Buczek, A. and Dutkiewicz, J. (2009) Coincidence of three pathogens (*Borrelia burgdorferi* s. l., *Anaplasma phagocytophilum* and *Babesia microti*) in *Ixodes ricinus* ticks in the Lublin macroregion. *Annals of Agricultural and Environmental Medicine* 16, 151–158.
- 1063 Wolfel, R., Terzioglu, R., Kiessling, J., Wilhelm, S., Essbauer, S., Pfeffer, M. and Dobler, G. (2006) *Rickettsia* spp. in *Ixodes ricinus* ticks in Bavaria, Germany. In: *Century of Rickettsiology: Emerging, Reemerging Rickettsioses, Molecular Diagnostics and Emerging Veterinary Rickettsioses*. *Annals of the New York Academy of Sciences* 1078, 509–511.
- 1064 Wurm, R., Dobler, G., Peters, M. and Kiessig, S.T. (2000) Serological investigations of red foxes (*Vulpes vulpes* L.) for determination of the spread of tick-borne encephalitis in Northrhine-Westphalia. *Journal of Veterinary Medicine Series B – Infectious Diseases and Veterinary Public Health* 47, 503–509.
- 1066 Yağcı, S., Babür, C. and Düzgün, A. (2007) Seroprevalance of toxoplasmosis and babesiosis in sheep from Diyarbakir Turkey. *Indian Veterinary Journal* 84, 349–351.
- 1067 Yağcı, S. and Çakmak, A. (2005) *Babesia ovis* in goats. *Indian Veterinary Journal* 82, 933–934.
- 1068 Yashina, L., Petrova, I., Seregin, S., Vyshemirskii, O., Lvov, D., Aristova, V., Kuhn, J., Morzunov, S., Gutorov, V., Kuzina, I., Tyunnikov, G., Netesov, S. and Petrov, V. (2003) Genetic variability of Crimean-Congo haemorrhagic fever virus in Russia and Central Asia. *Journal of General Virology* 84, 1199–1206.
- 1071 Yeruham, I., Hadani, A., Galkar, F. and Rosen, S. (2000) Ticks on two flocks of sheep in Israel: prevalence of infestation and corporeal distribution. *Annals of Tropical Medicine and Parasitology* 94, 735–738.
- 1075 Zahler, M. and Gothe, R. (2001) A new endemic focus of the bent tick *Dermacentor reticulatus* in Bavaria – risk of a further endemic spreading of canine babesiosis. *Tierärztliche Praxis Ausgabe Kleintiere Heimtiere* 29, 121–123.
- 1077 Žákovská, A. (2000) Monitoring the presence of borreliae in *Ixodes ricinus* ticks in Brno park Pisárky, Czech Republic. *Biologia* 55, 661–666.
- 1082 Žákovská, A., Netušil, J. and Martinikova, H. (2007) Influence of environmental factors on the occurrence of *Ixodes ricinus* ticks in the urban locality of Brno – Pisárky, Czech Republic. *Journal of Vector Ecology* 32, 29–33.
- 1091 Zeman, P., Pazdiora, P., Rébl, K. and Cinátl, J. (2002) Antibodies to granulocytic ehrlichiae in the population of the western and central part of the Czech Republic. *Epidemiologie, Microbiologie, Immunologie* 51, 13–18.
- 1092 Zeman, P. and Pecha, M. (2008) Segregation of genetic variants of *Anaplasma phagocytophilum* circulating among wild ruminants within a Bohemian forest (Czech Republic). *International Journal of Medical Microbiology* 298, 203–210.

- 1098 Zygner, W., Jaros, S., Wedrychowicz, H. (2008) Prevalence of *Babesia canis*, *Borrelia afzelii*, and *Anaplasma phagocytophilum* infection in hard ticks removed from dogs in Warsaw (central Poland). *Veterinary Parasitology* 153, 139–142.
- 1099 Zygner, W. and Wedrychowicz, H. (2006) Occurrence of hard ticks in dogs from Warsaw area. *Annals of Agricultural and Environmental Medicine* 13, 355–359.
- 1100 Zygutiene, M., Ranka, R. and Salmina, K. (2003) Genospecies of *Borrelia burgdorferi* s.l. in *Ixodes ricinus* ticks in Lithuania. *Acta Zoologica Lituanica* 13, 385–389.
- 1101 Adham, F.K. and Abd-El-Samie, E.M. (2009) Detection of tick blood parasites in Egypt using PCR assay I – *Babesia bovis* and *Babesia bigemina*. *Parasitology Research* 105, 721–730.
- 1102 Albayrak, H. and Ozan, E. (2010) Molecular detection of Crimean-Congo haemorrhagic fever virus (CCHFV) but not West Nile virus (WNV) in hard ticks from provinces in northern Turkey. *Zoonoses Public Health* 57, e156–e160.
- 1104 Boudebouch, N., Sarih, M., Socolovschi, C., Amarouch, H., Hassar, M., Raoult, D. and Parola, P. (2009) Molecular survey for spotted fever group rickettsiae in ticks from Morocco. In: *Special Issue: Advances in Rickettsiology. Clinical Microbiology and Infection* 15 (Suppl. 2), 259–260.
- 1107 Cassini, R. and Zanutto, S. (2009) Canine piroplasmiasis in Italy: epidemiological aspects in vertebrate and invertebrate hosts. *Veterinary Parasitology* 165, 30–35.
- 1108 Chochlakakis, D. and Psaroulaki, A. (2009) First evidence of *Anaplasma* infection in Crete, Greece. Report of six human cases. *Clinical Microbiology and Infection* 15, 8–9.
- 1109 Christova, I. and Di Caro, A. (2009) Crimean-Congo hemorrhagic fever, southwestern Bulgaria. *Emerging Infectious Diseases* 15, 983–985.
- 1111 Dib, L. and Bitam, I. (2009) First description of *Rickettsia monacensis* in *Ixodes ricinus* in Algeria. *Clinical Microbiology and Infection* 15, 261–262.
- 1112 Dobler, G. and Essbauer, S. (2009) Isolation and preliminary characterisation of *Rickettsia monacensis* in south-eastern Germany. *Clinical Microbiology and Infection* 15, 263–264.
- 1114 Gilbert, L. (2010) Altitudinal patterns of tick and host abundance: a potential role for climate change in regulating tick-borne diseases? *Oecologia* 162, 217–225.
- 1116 Hasle, G. and Bjune, G. (2009) Transport of ticks by migratory passerine birds to Norway. *Journal of Parasitology* 95, 1342–1351.
- 1118 Ioannou, I. and Chochlakakis, D. (2009) Carriage of *Rickettsia* spp., *Coxiella burnetii* and *Anaplasma* spp. by endemic and migratory wild birds and their ectoparasites in Cyprus. *Journal of Parasitology* 95, 1342–1351.
- 1119 Karbowski, G. and Vichova, B. (2009) *Anaplasma phagocytophilum* infection of red foxes (*Vulpes vulpes*). *Annals of Agricultural and Environmental Medicine* 16, 299–300.
- 1120 Kiilerich, A.M. and Christensen, H. (2009) *Anaplasma phagocytophilum* in Danish sheep: confirmation by DNA sequencing. *Acta Veterinaria Scandinavica* 51, 32–48.
- 1121 Klaus, C., Hoffmann, B., Hering, U., Mielke, B., Sachse, K., Beer, M. and Süß, J. (2010) Tick-borne encephalitis (TBE) virus prevalence and virus genome characterization in field-collected ticks (*Ixodes ricinus*) from risk, non-risk and former risk areas of TBE, and in ticks removed from humans in Germany. *Clinical Microbiology and Infection* 16, 238–244.
- 1122 Kuloglu, F. and Rolain, J.M. (2009) Prospective evaluation of rickettsioses in the Trakya (European) Region of Turkey in 2005. *Clinical Microbiology and Infection* 15, 220–221.
- 1127 Márquez, F.J. (2009) Rickettsiae in ticks from wild ungulates of Sierra Nevada and Doñana National Parks (Spain). *Clinical Microbiology and Infection* 15, 227–229.
- 1128 Márquez, F.J. and Millán, J. (2009) Rickettsiae in ticks from wild and domestic carnivores of Doñana National Park (Spain) and surrounding area. *Clinical Microbiology and Infection* 15, 224–226.
- 1129 Matsumoto, K. and Grzeszczuk, A. (2009) *Rickettsia raoultii* and *Anaplasma phagocytophilum* in *Dermacentor reticulatus* ticks collected from Białowieża Primeval Forest European bison (*Bison bonasus bonasus*), Poland. *Clinical Microbiology and Infection* 15, 286–287.
- 1130 Mechai, F. and Revest, M. (2009) Emergence of *Rickettsia slovaca* infection in Brittany, France. *Clinical Microbiology and Infection* 15, 230–231.
- 1131 Michalik, J. and Stanczak, J. (2009) Molecular evidence of *Anaplasma phagocytophilum* infection in wild cervids and feeding *Ixodes ricinus* ticks from west-central Poland. *Clinical Microbiology and Infection* 15, 81–83.
- 1134 Movila, A. and Rolain, J.M. (2009) Detection of spotted fever group rickettsiae and family Anaplasmataceae in *Ixodes ricinus* ticks from Republic of Moldova and Eastern Ukraine. *Clinical Microbiology and Infection* 15, 32–33.
- 1137 Pluta, S. and Tewald, F. (2009) *Rickettsia slovaca* in *Dermacentor marginatus* ticks, Germany. *Emerging Infectious Diseases* 15, 2077–2078.
- 1138 Podsiadly, E. and Karbowski, G. (2009) Presence of *Bartonella* spp. in Ixodidae ticks. *Clinical Microbiology and Infection* 15, 120–121.

- 1139 Psaroulaki, A. and Chochlakis, D. (2009) Acute anaplasmosis in humans in Cyprus. *Clinical Microbiology and Infection* 15, 10–11.
- 1143 Santos, A.S. and Santos-Silva, M.M. (2009) PCR-based survey of *Anaplasma phagocytophilum* in Portuguese ticks (Acari: Ixodidae). *Vector-Borne and Zoonotic Diseases* 9, 33–40.
- 1144 Shpynov, S. and Rudakov, N. (2009) Detection of *Rickettsia aeschlimannii* in *Hyalomma marginatum* ticks in western Russia. *Clinical Microbiology and Infection* 15, 315–316.
- 1145 Stanczak, J. and Racewicz, M. (2009) Prevalence of infection with *Rickettsia helvetica* in feeding ticks and their hosts in western Poland. *Clinical Microbiology and Infection* 15, 328–329.
- 1146 Svendsen, C.B. and Krogfelt, K.A. (2009) Detection of *Rickettsia* spp. in Danish ticks (Acari: Ixodes ricinus) using real-time PCR. *Scandinavian Journal of Infectious Diseases* 41, 70–72.
- 1149 Agger, J.F., Christoffersen, A.B., Rattenborg, E., Nielsen, J. and Agerholm, J.S. (2010) Prevalence of *Coxiella burnetii* antibodies in Danish dairy herds. *Acta Veterinaria Scandinavica* 52, 5–8.
- 1153 Almirall, J., Boixeda, R., Bolibar, I., Bassa, J., Sauca, G., Vidal, J., Serra-Prat, M., Balanzo, X. and Grp, G.S. (2007) Differences in the etiology of community-acquired pneumonia according to site of care: a population-based study. *Respiratory Medicine* 101, 2168–2175.
- 1158 Bartolomé, J., Riquelme, E., Hernández-Pérez, N., García-Ruiz, S., Luján, R., Lorente, S., Medrano-Callejas, R. and Crespo, M.D. (2007) Seroepidemiology of *Coxiella burnetii* infection among blood donors in Albacete. *Enfermedades Infecciosas y Microbiología Clínica* 25, 382–386.
- 1159 Bellazreg, F., Kaabia, N., Hachfi, W., Khalifa, M., Jazia, E.B., Ghanouchi, N., Brahem, A., Bahri, F. and Letaief, A. (2009) Acute Q fever in hospitalised patients in Central Tunisia: report of 21 cases. *Clinical Microbiology and Infection* 15, 138–139.
- 1160 Berberoglu, U., Gozalan, A., Kilic, S., Kurtoglu, D. and Esen, B. (2004) A seroprevalence study of *Coxiella burnetii* in Antalya, Diyarbakir and Samsun provinces. *Mikrobiyoloji Bulteni* 38, 385–391.
- 1161 Bergh, K., Bevanger, L., Hanssen, I. and Loseth, K. (2002) Low prevalence of *Bartonella henselae* infections in Norwegian domestic and feral cats. *Apmis* 110, 309–314.
- 1164 Berri, M., Souriau, A., Crosby, M. and Rodolakis, A. (2002) Shedding of *Coxiella burnetii* in ewes in two pregnancies following an episode of *Coxiella* abortion in a sheep flock. *Veterinary Microbiology* 85, 55–60.
- 1167 Bitam, I., Rolain, J.M., Kernif, T., Baziz, B., Parola, P. and Raoult, D. (2009) *Bartonella* species detected in rodents and hedgehogs from Algeria. *Clinical Microbiology and Infection* 15, 102–103.
- 1174 Cekani, M., Papa, A., Kota, M., Velo, E. and Berxholi, K. (2008) Report of a serological study of *Coxiella burnetii* in domestic animals in Albania. *Veterinary Journal* 175, 276–278.
- 1175 Celebi, B., Kilic, S., Aydin, N., Tarhan, G., Carhan, A. and Babur, C. (2009) Investigation of *Bartonella henselae* in cats in Ankara, Turkey. *Zoonoses and Public Health* 56, 169–175.
- 1177 Chmielewski, T., Podsiadly, E. and Tylewska-Wierzbanska, S. (2007) Presence of *Bartonella* spp. in various human populations. *Polish Journal of Microbiology* 56, 33–38.
- 1179 Chomel, B.B., Kasten, R.W., Henn, J.B. and Molia, S. (2006) *Bartonella* infection in domestic cats and wild felids. In: *Century of Rickettsiology: Emerging, Reemerging Rickettsioses, Molecular Diagnostics, and Emerging Veterinary Rickettsioses*. *Annals of the New York Academy of Sciences* 1078, 410–415.
- 1181 Ciceroni, L., Fabbì, M., Ciarrocchi, S., Pinto, A., Ciervo, A., Kasten, R.W. and Chomel, B.B. (2002) Characterization of the first *Bartonella henselae* strain isolated from a cat in Italy. *Comparative Immunology, Microbiology and Infectious Diseases* 25, 217–228.
- 1182 Ciceroni, L., Pinto, A., Ciarrocchi, S. and Ciervo, A. (2009) *Bartonella* infections in Italy. *Clinical Microbiology and Infection* 15, 108–109.
- 1184 Cisak, E., Chmielewska-Badora, J., Mackiewicz, B. and Dutkiewicz, J. (2003) Prevalence of antibodies to *Coxiella burnetii* among farming population in eastern Poland. *Annals of Agricultural and Environmental Medicine* 10, 265–267.
- 1191 Diniz, P., Billeter, S.A., Otranto, D., De Caprariis, D., Petanides, T., Mylonakis, M.E., Koutinas, A.F. and Breitschwerdt, E.B. (2009) Molecular documentation of *Bartonella* infection in dogs in Greece and Italy. *Journal of Clinical Microbiology* 47, 1565–1567.
- 1193 Dorko, E., Kalinova, Z., Weissova, T. and Pilipcinec, E. (2008) Seroprevalence of antibodies to *Coxiella burnetii* among employees of the Veterinary University in Kosice, eastern Slovakia. *Annals of Agricultural and Environmental Medicine* 15, 119–124.
- 1194 Dzelalija, B. and Avšič-Županc, T. (2001) *Bartonella henselae* as the causative agent in cat-scratch disease: case report. *Lijecnicki Vjesnik* 123, 14–15.
- 1195 Ebani, V.V., Cerri, D. and Andreani, E. (2002) Cat scratch disease. Survey on the presence of *Bartonella henselae* among cats of Tuscany. *Microbiologica* 25, 307–313.

- 1197 Fabbi, M., De Giuli, L., Tranquillo, M., Bragoni, R., Casiraghi, M. and Genchi, C. (2004) Prevalence of *Bartonella henselae* in Italian stray cats: evaluation of serology to assess the risk of transmission of *Bartonella* to humans. *Journal of Clinical Microbiology* 42, 264–268.
- 1198 Fretin, D., Dupont, A., Dispas, M., Stede, Y., Riocreux, F. and Imberechts, H. (2008) Estimation of the seroprevalence of Q fever (coxiellosis) among sheep in Belgium. In: Kerhofs, P. (ed.) *Scientific Report 2007/2008, Veterinary and Agrochemical Research Centre (CODA-CERVA)*, Brussels, pp. 127–129.
- 1201 García-Pérez, A.L., Astobiza, I., Barandika, J.F., Atxaerandio, R., Hurtado, A. and Juste, R.A. (2009) Investigation of *Coxiella burnetii* occurrence in dairy sheep flocks by bulk-tank milk analysis and antibody level determination. *Journal of Dairy Science* 92, 1581–1584.
- 1203 Gozalan, A., Esen, B., Rolain, J.M., Akin, L. and Raoult, D. (2005) Is Q fever an emerging infection in Turkey?. *Eastern Mediterranean Health Journal* 11, 384–391.
- 1204 Gozalan, A., Rolain, J.M., Ertek, M., Angelakis, E., Coplu, N., Basbulut, E.A., Korhasan, B.B. and Esen, B. (2010) Seroprevalence of Q fever in a district located in the west Black Sea region of Turkey. *European Journal of Clinical Microbiology and Infectious Diseases* 29, 465–469.
- 1206 Guibal, F., de La Salmonière, P., Rybojad, M., Hadjrabia, S., Dehen, L. and Arlet, G. (2001) High seroprevalence to *Bartonella quintana* in homeless patients with cutaneous parasitic infestations in downtown Paris. *Journal of the American Academy of Dermatology* 44, 219–223.
- 1209 Hamzic, S., Beslagic, E. and Zvizdic, S. (2006) Serotesting of human Q fever distribution in Bosnia and Herzegovina. In: *Century of Rickettsiology: Emerging, Reemerging Rickettsioses, Molecular Diagnostics, and Emerging Veterinary Rickettsioses. Annals of the New York Academy of Sciences* 1078, 133–136.
- 1211 Hofmann-Lehmann, R., Meli, M.L., Dreher, U.M., Gonczi, E., Deplazes, P., Braun, U., Engels, M., Schupbach, J., Jorger, K., Thoma, R., Griot, C., Stark, K.D., Willi, B., Schmidt, J., Kocan, K.M. and Lutz, H. (2004) Concurrent infections with vector-borne pathogens associated with fatal hemolytic anemia in a cattle herd in Switzerland. *Journal of Clinical Microbiology* 42, 3775–3780.
- 1213 Karabay, O., Kocoğlu, E., Baysoy, G. and Konyalioğlu, S. (2009) *Coxiella burnetii* seroprevalence in the rural part of Bolu, Turkey. *Turkish Journal of Medical Sciences* 39, 641–645.
- 1214 Kılıc, S., Komiya, T., Çelebi, B., Aydın, N., Saito, J., Toriniwa, H., Karatepe, B. and Babür, C. (2008) Seroprevalence of *Coxiella burnetii* in stray cats in Central Anatolia. *Turkish Journal of Veterinary and Animal Sciences* 32, 483–486.
- 1215 Kılıc, S., Pasa, S., Babür, C. and Ozlem, M.B. (2005) Investigation of *Coxiella burnetii* antibodies in sheep in Aydin region, Turkey. *Revue de Médecine Vétérinaire*, 156, 336–340.
- 1216 Kılıc, S., Yilmaz, G.R., Komiya, T., Kurtoğlu, Y. and Karakoc, E.A. (2008) Prevalence of *Coxiella burnetii* antibodies in blood donors in Ankara, Central Anatolia, Turkey. *New Microbiologica* 31, 527–534.
- 1221 Lacheheb, A. and Raoult, D. (2009) Seroprevalence of Q-fever in Algeria. *Clinical Microbiology and Infection* 15, 167–168.
- 1222 Lausevic, D. (2001) Prevalence of *Coxiellae burnetii* antibodies in sheep in the territory of Montenegro. *Acta Veterinaria* (Beograd) 51, 149–156.
- 1236 Masala, G., Porcu, R., Sanna, G., Chessa, G., Cillara, G., Chisu, V. and Tola, S. (2004) Occurrence, distribution, and role in abortion of *Coxiella burnetii* in sheep and goats in Sardinia, Italy. *Veterinary Microbiology* 99, 301–305.
- 1237 Massei, F., Messina, F., Gori, L., Macchia, P. and Maggiore, G. (2004) High prevalence of antibodies to *Bartonella henselae* among Italian children without evidence of cat scratch disease. *Clinical Infectious Diseases* 38, 145–148.
- 1239 McCaughey, C., Murray, L.J., McKenna, J.P., Menzies, F.D., McCullough, S.J., O'Neill, H.J., Wyatt, D.E., Cardwell, C.R. and Coyle, P.V. (2010) *Coxiella burnetii* (Q fever) seroprevalence in cattle. *Epidemiology and Infection* 138, 21–27.
- 1246 Minadakis, G., Chochlakakis, D., Kokkini, S., Gikas, A., Tselentis, Y. and Psaroulaki, A. (2008) Seroprevalence of *Bartonella henselae* antibodies in blood donors in Crete. *Scandinavian Journal of Infectious Diseases* 40, 846–847.
- 1247 Monno, R., Fumarola, L., Trerotoli, P., Cavone, D., Massaro, T., Spinelli, L., Rizzo, C. and Musti, M. (2009) Seroprevalence of Q-fever, brucellosis and leptospirosis in farmers and agricultural workers in Bari, southern Italy. *Clinical Microbiology and Infection* 15, 142–143.
- 1250 Nebreda, T., Contreras, E., Merino, F.J., Dodero, E. and Campos, Á. (2001) Outbreak of Q fever and seroprevalence in a rural town from Soria. *Enfermedades Infecciosas y Microbiología Clínica* 19, 57–60.
- 1252 Oren, I., Kraoz, Z., Hadani, Y., Kassis, I., Zaltzman-Bershady, N. and Finkelstein, R. (2005) An outbreak of Q fever in an urban area in Israel. *European Journal of Clinical Microbiology and Infectious Diseases* 24, 338–341.
- 1254 Panaiotov, S., Ciccozzi, M., Brankova, N., Levterova, V., Mitova-Tiholova, M., Amicosante, M., Rezza, G. and Kantardjiev, T. (2009) An outbreak of Q fever in Bulgaria. *Annali dell'Istituto Superiore di Sanità* 45, 83–86.

- 1256 Pape, M., Mandraveli, K., Nikolaidis, P., Alexiou-Daniel, S. and Arvanitidou-Vagiona, M. (2009) Seroprevalence of *Coxiella burnetii* in a healthy population from northern Greece. *Clinical Microbiology and Infection* 15, 148–149.
- 1257 Parisi, A., Fraccalvieri, R., Cafiero, M., Miccolupo, A., Padalino, I., Montagna, C., Capuano, F. and Sottili, R. (2006) Diagnosis of *Coxiella burnetii*-related abortion in Italian domestic ruminants using single-tube nested PCR. *Veterinary Microbiology* 118, 101–106.
- 1259 Perugini, A.G., Capuano, F., Esposito, A., Marianelli, C., Martucciello, A., Iovane, G. and Galiero, G. (2009) Detection of *Coxiella burnetii* in buffaloes aborted fetuses by IS111 DNA amplification: a preliminary report. *Research in Veterinary Science* 87, 189–191.
- 1261 Pons, I., Sanfeliu, I., Quesada, M., Anton, E., Sampere, M., Font, B., Pla, J. and Segura, F. (2005) Prevalence of *Bartonella henselae* in cats in Catalonia, Spain. *American Journal of Tropical Medicine and Hygiene* 72, 453–457.
- 1265 Rolain, J.M., Foucault, C., Guieu, R., La Scola, B., Brouqui, P. and Raoult, D. (2002) *Bartonella quintana* in human erythrocytes. *The Lancet* 360(9328), 226–228.
- 1266 Ruiz-Fons, F., Astobiza, I., Barandika, J.F., Hurtado, A., Atxaerandio, R., Juste, R.A. and García-Pérez, A.L. (2010) Seroepidemiological study of Q fever in domestic ruminants in semi-extensive grazing systems. *BMC Veterinary Research* 6:3, doi:10.1186/1746-6148-6-3.
- 1271 Schimmer, B., Morroy, G., Dijkstra, F., Schneeberger, P.M., Weers-Pothoff, G., Timen, A., Wijkmans, C. and van der Hoek, W. (2008). Large ongoing Q fever outbreak in the south of the Netherlands. *Eurosurveillance* 13, 18–20.
- 1275 Steiner, H.A., Raveh, D., Rudensky, B., Paz, E., Jerassi, Z., Schlesinger, Y. and Yinnon, A.M. (2001) Outbreak of Q fever among kitchen employees in an urban hospital. *European Journal of Clinical Microbiology and Infectious Diseases* 20, 898–900.
- 1276 Sukrija, Z., Hamzic, S., Cengic, D., Beslagic, E., Fejzic, N., Cobanov, D., Maglajlic, J., Puvacic, S. and Puvacic, Z. (2006) Human *Coxiella burnetii* infections in regions of Bosnia and Herzegovina. In: *Century of Rickettsiology: Emerging, Reemerging Rickettsioses, Molecular Diagnostics, and Emerging Veterinary Rickettsioses. Annals of the New York Academy of Sciences* 1078, 124–128.
- 1280 Rageau, J. (1972) Répartition géographique et rôle pathogène des tiques (Acariens: Argasidae et Ixodidae) en France. *Wiadomości Parazytologiczne* 18, 32–49.
- 1281 Beninati, T., Lo, N., Noda, H., Esposito, F., Rizzoli, A., Favia, G. and Genchi, C. (2002) First detection of spotted fever group rickettsiae in *Ixodes ricinus* from Italy. *Emerging Infectious Diseases* 8, 19–24.
- 1282 Zygnier, W., Górski, P. and Wedrychowicz, H. (2009) New localities of *Dermacentor reticulatus* tick (vector of *Babesia canis canis*) in central and eastern Poland. *Polish Journal of Veterinary Sciences* 12, 14–19.
- 1283 Tomao, P., Ciceroni, L., D'Ovidio, M.C., de Rosa, M., Vonesch, N., Iavicoli, S., Signorini, S., Ciarrocchi, S., Ciufolini, M.G., Fiorentini, C. and Papaleo, B. (2005) Prevalence and incidence of antibodies to *Borrelia burgdorferi* and to tick-borne encephalitis virus in agricultural and forestry workers from Tuscany, Italy. *European Journal of Clinical Microbiology and Infectious Diseases* 24, 457–463.
- 1284 Poupon, M.A., Lommano, E., Humair, P.F., Douet, V., Rais, O., Scaad, M., Jenni, L. and Gern, L. (2006) Prevalence of *Borrelia burgdorferi sensu lato* in ticks collected from migratory birds in Switzerland. *Applied and Environmental Microbiology* 72, 976–979.
- 1285 Thorin, C., Rigaud, E., Capek, I., André-Fontaine, G., Oster, B., Gastinger, G. and Abadia, G. (2008) Seroprévalence de la borréliose de Lyme et de l'encéphalite à tiques chez des professionnels exposés dans le Grand Est de la France. *Médecine et Maladies Infectieuses* 38, 533–542.
- 1286 Sikutová, S., Hornok, S., Hubálek, Z., Doležalková, I., Juricová, Z. and Rudolf, I. (2009) Serological survey of domestic animals for tick-borne encephalitis and Bhanja viruses in northeastern Hungary. *Veterinary Microbiology* 135, 267–271.
- 1287 Süß, J., Klaus, K., Diller, R., Schrader, C., Wohanka, N. and Abel, U. (2006) TBE incidence versus virus prevalence and increased prevalence of the TBE virus in *Ixodes ricinus* removed from humans. *International Journal of Medical Microbiology*, 296, 63–68
- 1288 Strzelczyk, J.K., Wiczkowski, A., Kwásniewski, M., Zalewska-Ziob, M., Strzelczyk, J., Gawron, K., Adamer, B. and Spausta, G. (2006) Prevalence of *Borrelia burgdorferi s. l.* genospecies in *Ixodes ricinus* ticks from recreational areas of Silesia. *Advances in Clinical and Experimental Medicine* 15, 1003–1008.
- 1289 Stjernberg, L., Holmkvist, K. and Berglund, J. (2008) A newly detected tick-borne encephalitis (TBE) focus in south-east Sweden: a follow-up study of TBE virus (TBEV) seroprevalence. *Scandinavian Journal of Infectious Diseases* 40, 4–10.
- 1290 Skarpaas, T., Golovljova, I., Vene, S., Ljostad, U., Sjursen, H., Plyusnin, A. and Lundkvist, A. (2006) Tick borne encephalitis virus, Norway and Denmark. *Emerging Infectious Diseases* 12, 22–24.

- 1291 Schouls, L.M., Van de Pol, I., Rijpkema, S.G.T. and Schot, C.S. (1999) Detection and identification of *Ehrlichia*, *Borrelia burgdorferi* s. l. and *Bartonella* species in Dutch *Ixodes ricinus* ticks. *Journal of Clinical Microbiology* 37, 52–66.
- 1292 Schmulewitz, L., Moumille, K. and Patey-Mariaud de Serre, N. (2008) Splenic rupture and malignant Mediterranean spotted fever. *Emerging Infectious Diseases* 14, 17–22.
- 1293 Poponnikova, T.V. (2006) Specific clinical and epidemiological features of tick-borne encephalitis in western Siberia. *International Journal of Medical Microbiology* 296, 59–62.
- 1294 Pichon, B., Kahl, O., Hammer, B. and Gray, J.S. (2006) Pathogens and host DNA in *Ixodes ricinus* nymphal ticks from a German forest. *Vector-Borne and Zoonotic Diseases* 6, 382–387.
- 1295 Oteo, J.A., Ibarra, V., Blanco, J.R., Martínez de Artola, V., Márquez, F.J., Portillo, A., Raoult, D. and Anda, P. (2004) *Dermacentor*-borne necrosis erythema and lymphadenopathy: clinical and epidemiological features of a new tick-borne disease. *Clinical Microbiology and Infection* 10, 327–331.
- 1296 Niscigorska, J., Skotarczak, B. and Wodecka, B. (2003) *Borrelia burgdorferi* infection among forestry workers assessed with an immunoenzymatic method (ELISA), PCR and correlated with the clinical state of the patients. *Annales of Agricultural and Environmental Medicine* 10, 15–19.
- 1297 Newborn, D., Fletcher, K.L., Beeton, R. and Baines, D. (2009) Occurrence of sheep ticks on moorland wader chicks. *Bird Study* 56, 401–404.
- 1298 Misonne, M.C., Van Impe, G. and Hoet, P.P. (1998) Genetic heterogeneity of *Borrelia burgdorferi sensu lato* in *Ixodes ricinus* ticks collected in Belgium. *Journal of Clinical Microbiology* 36, 3352–3354.
- 1299 Ménard, G., Brisou, P., Ledantec, P., Muzellec, Y. and Palmier, B. (2000) La forme maligne de la fièvre boutonneuse méditerranéenne. À propos d'un cas. *Médecine et Maladies Infectieuses* 30, 535–537.
- 1300 Magnino, S., Vicari, N., Boldini, M., Rosignoli, C., Nigrelli, A., Andreoli, G., Pajoro, M. and Fabbi, M. (2009) Rilevamento di *Coxiella burnetti* nel latte di massa di alcune aziende bovine lombarde. *Large Animal Review* 15, 3–6.
- 1301 Lundkvist, A., Vene, S., Golovljova, I., Mavtchoutko, V., Forsgren, M., Kalnina, V. and Plyusnin, A. (2001) Characterization of tick-borne encephalitis virus from Latvia: evidence for co-circulation of three distinct subtypes. *Journal of Medical Virology* 65, 730–735.
- 1302 Kampen, K., Poltz, W., Hartelt, K., Wölfel, R. and Faulde, M. (2007) Detection of a questing *Hyalomma marginatum marginatum* adult female (Acari, Ixodidae) in southern Germany. *Experimental and Applied Acarology* 43, 227–231.
- 1303 Kachrimanidou, M., Souliou, E., Pavlidou, V., Antoniadis, A. and Papa, A. (2010) First detection of *Rickettsia slovaca* in Greece. *Experimental and Applied Acarology* 50, 93–96.
- 1304 Hudson, P.J., Rizzoli, A., Rosà, R., Chemini, C., Jones, L.D. and Gould, E.A. (2001) Tick-borne encephalitis virus in northern Italy: molecular analysis, relationships with density and seasonal dynamics of *Ixodes ricinus*. *Medical and Veterinary Entomology* 15, 304–313.
- 1305 Foppa, I.M., Krause, P.J., Spielman, A., Goethert, H., Gern, L., Brand, B. and Telford, S.R. III (2002) Entomologic and serologic evidence of zoonotic transmission of *Babesia microti*, Eastern Switzerland. *Emerging Infectious Diseases* 8, 42–49.
- 1306 Foata, J., Mouillot, D., Culioli, J.L. and Marchand, B. (2006) Influence of season and host age on wild boar parasites in Corsica using indicator species analysis. *Journal of Helminthology* 80, 41–45.
- 1308 Bespyatova, L.A., Ieshko, E.P., Ivanter, E.V. and Bugmyrin, S.V. (2006) Long-term population dynamics of ixodid ticks and development of tick-borne encephalitis foci under conditions of the Middle Taiga Subzone. *Russian Journal of Ecology* 3, 325–329.
- 1310 Bown, K.J., Begon, M., Bennett, M., Woldehiwet, Z. and Ogden, N.H. (2003) Seasonal dynamics of *Anaplasma phagocytophila* in a rodent-tick (*Ixodes trianguliceps*) system, United Kingdom. *Emerging Infectious Diseases* 9, 167–169.
- 1311 Bunikis, J., Olsen, B., Fingerle, V., Bonnedahl, J., Wilske, B. and Bergström, S. (1996) Molecular polymorphism of the Lyme Disease agent *Borrelia garinii* in northern Europe is influenced by a novel enzootic *Borrelia* focus in the North Atlantic. *Journal of Clinical Microbiology* 34, 16–18.
- 1312 Gustafson, R., Jaenson, T.G.T., Gardulf, A., Mejlom, H. and Svenungsson, B. (1995) Prevalence of *Borrelia burgdorferi* s.l. infection in *Ixodes ricinus* in Sweden. *Scandinavian Journal of Infectious Diseases* 27, 597–601.
- 1313 Healy, J.A.E., Cross, T.F. and Healy, A. (2004) The α -*Gpdh* polymorphism in the tick *Ixodes ricinus*: similar diurnal trends in genotypic composition in Irish and Swedish population samples. *Experimental and Applied Acarology* 32, 111–118.
- 1314 L'Hostis, M., Dumon, H., Fusade, A., Lazareffa, S. and Gorenflot, A. (1996) Seasonal incidence of *Ixodes ricinus* ticks (Acari: Ixodidae) on rodents in western France. *Experimental and Applied Acarology* 20, 359–368.
- 1315 Milotic, I., Miletic, B. and Morovic, M. (2001) Clinical, epidemiological and epizootic features of Q fever in the northern coastal part of Croatia from 1989 to 1998. *Acta Medica Croatica* 55, 53–57.

- 1316 Jouda, F., Perret, J.L. and Gern, L. (2004) Density of questing *Ixodes ricinus* nymphs and adults infected by *Borrelia burgdorferi* s.l. in Switzerland: spatio-temporal pattern at a regional scale. *Vector-Borne and Zoonotic Diseases* 4, 222–225.
- 1317 Šumilo, D., Bormane, A., Asokliene, L., Lucenko, I., Vasilenko, V. and Randolph, S. (2006) Tick-borne encephalitis in the Baltic States: identifying risk factors in space and time. *International Journal of Medical Microbiology* 296, 76–79.
- 1318 Olsen, B., Jaenson, T.G.T., Noppa, L., Bunikis, J. and Bergström, S. (1993) A Lyme borreliosis cycle in seabirds and *Ixodes uriae* ticks. *Nature* 362, 340–342.
- 1319 Atova, R., Georgieva, G. and Manev, H. (1993) Different kinds of ixodid ticks collected from humans in city of Sofia, seasonal distribution and infections with *Borrelia*. *Infectology* 30, 11–14.
- 1320 Földvári, G. and Rigó, K. (2009) Epidemiology of Lyme borreliosis and the role of lizards in disease maintenance. *Magyar Allatorvosok Lapja* 3, 15–19.
- 1321 Burri, C., Morán Cadenas, F., Douet, V., Moret, J. and Gern, L. (2007) *Ixodes ricinus* density and infection prevalence of *Borrelia burgdorferi sensu lato* along a north-facing altitudinal gradient in the Rhône Valley (Switzerland). *Vector-Borne and Zoonotic Diseases* 7, 12–22.
- 1322 Bergström, S., Olsen, B., Burman, N., Gothefors, L., Jaenson, T.G.T., Jonsson, M. and Mejlom, H.A. (1992) Molecular characterization of *Borrelia burgdorferi* isolated from *Ixodes ricinus* in northern Sweden. *Scandinavian Journal of Infectious Diseases* 24, 181–188.
- 1323 Rosef, O., Paulauskas, A. and Radzijeuskaja, J. (2009) Prevalence of *Borrelia burgdorferi sensu lato* and *Anaplasma phagocytophilum* in questing *Ixodes ricinus* ticks in relation to the density of wild cervids. *Acta Veterinaria Scandinavica* 51, 47–49.
- 1324 Peplonska, B. and Szeszenia-Dabrowska, N. (2003) Analiza epidemiologiczna zapadalności na zawodowe choroby zakaźne i inwazyjne. *Medycyna Pracy* 54, 521–528.
- 1325 Kristiansen, K. (2001) TBE in Denmark – in particular on Bornholm. Oral presentation to: VIth International Potsdam Symposium on Tick-borne Diseases (IPS-VI), Berlin, 26–27 April 2001.
- 1326 Gern, L., Perret, J.L., Gremion, F., Guigoz, E., Rais, O. and Moosmann, Y. (2001) A 5 Year Survey on the prevalence of *Borrelia burgdorferi sensu lato* in *Ixodes ricinus* ticks, on tick density and clinical cases of Lyme Borreliosis in an endemic area in Switzerland. Scientific presentation to VIth International Potsdam Symposium on Tick-borne Diseases (IPS-VI), Berlin, 26–27 April 2001.
- 1327 Süß, J., Schrader, C., Abel, U., Bormane, A., Duks, A. and Kalnina, V. (2001) Characterization of TBE foci in Germany (and Latvia). Scientific presentation to VIth International Potsdam Symposium on Tick-borne Diseases (IPS-VI), Berlin, 26–27 April 2001.
- 1328 Krech, T. (2001) TBE foci in Switzerland. Scientific presentation to VIth International Potsdam Symposium on Tick-borne Diseases (IPS-VI), Berlin, 26–27 April 2001.
- 1329 Han, X., Aho, M., Vene, S., Peltomaa, M., Juseviciene, A., Leinikki, P., Vaheri, A. and Vapalahti, O. (2001) Scientific presentation to TBE virus foci in Finland (and Lithuania). Scientific presentation to VIth International Potsdam Symposium on Tick-borne Diseases (IPS-VI), Berlin, 26–27 April 2001.
- 1330 Hagedorn, P., Rumer, L., Donoso, O. and Niedrig, M. (2010) Prevalence of *Anaplasma*, *Babesia*, *Borrelia burgdorferi* and *Rickettsia* spec. in different hard ticks species in the area of Berlin, Germany. Poster presentation to: *EDEN 2010: Emerging Vector-borne Diseases in a Changing European environment, Montpellier, France, 10-11-12th May 2010*. Poster session abstracts, p. 27–28. Available at: http://international-conference2010.eden-fp6project.net/var/eden_colloque/storage/fckeditor/file/Poster%20session_web.pdf (accessed 12 July 2012).
- 1331 Selmi, N., Bertolotti, L., Martello, E., Bisanzio, D., Tomassone, L., Mattei, R., Pagani, A., Mazzatenta, C. and Mannelli, A. (2010) *Ixodes ricinus* as vector of human tick borne zoonoses in Tuscany. Poster presentation to: *EDEN 2010: Emerging Vector-borne Diseases in a Changing European environment, Montpellier, France, 10-11-12th May 2010*. Poster session abstracts, p. 6. Available at: http://international-conference2010.eden-fp6project.net/var/eden_colloque/storage/fckeditor/file/Poster%20session_web.pdf (accessed 12 July 2012).
- 1332 Selmi, M., Martello, E., Bisanzio, D., Bertolotti, L., Moneta, S., Mattei, R., Tomassone, L., Pagani, A. and Mazzatenta, C. (2010) *Dermacentor marginatus* and spotted fever group rickettsiae in Tuscany. Poster presentation to: *EDEN 2010: Emerging Vector-borne Diseases in a Changing European environment, Montpellier, France, 10-11-12th May 2010*. Poster session abstracts, pp. 6–7. Available at: http://international-conference2010.eden-fp6project.net/var/eden_colloque/storage/fckeditor/file/Poster%20session_web.pdf (accessed 12 July 2012).
- 1333 Somassè, Y.E., Luyasu, V., Vanwambeke, S. and Robert, A.R. (2010) Incidence and trend of disseminated stages of Lyme borreliosis in the province Brabant Wallon (Belgium): retrospective data of a reference center. Poster presentation to: *EDEN 2010: Emerging Vector-borne Diseases in a Changing European environment, Montpellier, France, 10-11-12th May 2010*. Poster session abstracts, p. 1. Available at: http://international-conference2010.eden-fp6project.net/var/eden_colloque/storage/fckeditor/file/Poster%20session_web.pdf (accessed 12 July 2012).

- 1334 Cota-Guajardo, S., Pérez-Sánchez, J.L., Valcárcel, F., Basco-Basco, P.I., Carballedo, A. and Olmeda, A.S. (2010) *Hyalomma lusitanicum* phenology in a mesomediterranean environment of Central Spain. Poster presentation to: *EDEN 2010: Emerging Vector-borne Diseases in a Changing European environment, Montpellier, France, 10-11-12th May 2010*. Poster session abstracts, p. 2. Available at: http://international-conference2010.eden-fp6project.net/var/eden_colloque/storage/fckeditor/file/Poster%20session_web.pdf (accessed 12 July 2012).
- 1335 Katargina, O., Geller, J., Vasilenko, V., Randolph, S. and Golovljova, I. (2010) Detection and characterization of *Babesia* in Estonia. Poster presentation to: *EDEN 2010: Emerging Vector-borne Diseases in a Changing European environment, Montpellier, France, 10-11-12th May 2010*. Poster session abstracts, p. 10. Available at: http://international-conference2010.eden-fp6project.net/var/eden_colloque/storage/fckeditor/file/Poster%20session_web.pdf (accessed 12 July 2012).
- 1336 Golovljova, I., Katargina, O., Geller, J., Vasilenko, V., Alekseev, A., Dubinina, H., Efremova, G., Mishaeva, N., Lundkvist, A. and Randolph, S. (2010) Detection and characterization of *Anaplasma phagocytophilum* in ticks in Estonia, and Baltic regions of Russia and Belarus. Poster presentation to: *EDEN 2010: Emerging Vector-borne Diseases in a Changing European environment, Montpellier, France, 10-11-12th May 2010*. Poster session abstracts, pp. 13–14. Available at: http://international-conference2010.eden-fp6project.net/var/eden_colloque/storage/fckeditor/file/Poster%20session_web.pdf (accessed 12 July 2012).
- 1337 Cieniuch S, Stanczak J and Racewicz M, 2010 Identification and quantification of *Borrelia* species in *Ixodes ricinus* ticks in Tri-City agglomeration and surrounding areas (northern Poland). Poster presentation to: *EDEN 2010: Emerging Vector-borne Diseases in a Changing European environment, Montpellier, France, 10-11-12th May 2010*. Poster session, p. . Available at: http://international-conference2010.eden-fp6project.net/var/eden_colloque/storage/fckeditor/file/Poster%20session_web.pdf (accessed 12 July 2012).
- 1338 Rudolf, I., Sikutová, S., Svobodová, P., Halouzka, J., Juričová [Juricová], Z. and Hubálek, Z. (2010) Molecular survey of tick-borne pathogens in the Czech Republic. Poster presentation to: *EDEN 2010: Emerging Vector-borne Diseases in a Changing European environment, Montpellier, France, 10-11-12th May 2010*. Poster session abstracts, pp. 14–15. Available at: http://international-conference2010.eden-fp6project.net/var/eden_colloque/storage/fckeditor/file/Poster%20session_web.pdf (accessed 12 July 2012).
- 1339 Jaenson, T.G.T., Tälleklint, L., Lundqvist, L., Olsen, B., Chirico, J. and Mejlom, H. (1994) Geographical distribution, host associations and vector role of ticks (Acari: Ixodidae, Argasidae) in Sweden. *Journal of Medical Entomology* 31, 240–256.
- 1340 Kondrusik, M., Zajkowska, J., Pancewicz, S., Grygorczuk, S. and Moniuszko, A. (2010) *Ixodes ricinus* ticks seasonal dynamics in correlation with some climate parameters in North Eastern Poland. Poster presentation to: *EDEN 2010: Emerging Vector-borne Diseases in a Changing European environment, Montpellier, France, 10-11-12th May 2010*. Poster session abstracts, p. 18. Available at: http://international-conference2010.eden-fp6project.net/var/eden_colloque/storage/fckeditor/file/Poster%20session_web.pdf (accessed 12 July 2012).
- 1341 Jääskeläinen, A., Tonteri, E., Vaheri, A. and Vapalahti, O. (2010). European subtype tick-borne encephalitis virus in *Ixodes persulcatus* and *Myodes glareolus* in Simo, Finnish Lapland. Poster presentation to: *EDEN 2010: Emerging Vector-borne Diseases in a Changing European environment, Montpellier, France, 10-11-12th May 2010*. Poster session abstracts, pp. 18–19. Available at: http://international-conference2010.eden-fp6project.net/var/eden_colloque/storage/fckeditor/file/Poster%20session_web.pdf (accessed 12 July 2012).
- 1342 Bursali, A., Tekini, S., Keskin, A. and Ekici, M. (2010) Species diversity, relative abundance and Crimean-Congo haemorrhagic fever virus (CCHFV) prevalence of ixodid ticks of humans. Poster presentation to: *EDEN 2010: Emerging Vector-borne Diseases in a Changing European environment, Montpellier, France, 10-11-12th May 2010*. Poster session abstracts, p. 22. Available at: http://international-conference2010.eden-fp6project.net/var/eden_colloque/storage/fckeditor/file/Poster%20session_web.pdf (accessed 12 July 2012).
- 1343 Abdel-Shafy, S., Allam, N.A.T., Mediannikov, O., Parola, P. and Raouf, D (2010) Molecular detection of *Rickettsia*, *Anaplasma*, *Ehrlichia*, *Coxiella* and *Borrelia* in common ixodid ticks infesting camels and cows in Egypt. Poster presentation to: *EDEN 2010: Emerging Vector-borne Diseases in a Changing European environment, Montpellier, France, 10-11-12th May 2010*. Poster session abstracts, p. 23–24. Available at: http://international-conference2010.eden-fp6project.net/var/eden_colloque/storage/fckeditor/file/Poster%20session_web.pdf (accessed 12 July 2012).
- 1344 Carpi, G., Cagnacci, F., Tomsho, L.P., Qi, J., Rizzoli, A. and Schuster, S.C. (2010) Exploring diversity of tick-borne pathogens and tick-associated bacteria from different Italian *Ixodes ricinus* populations by pyrosequencing. Poster presentation to: *EDEN 2010: Emerging Vector-borne Diseases in a Changing European environment, Montpellier, France, 10-11-12th May 2010*. Poster session abstracts, pp. 24–25. Available at: http://international-conference2010.eden-fp6project.net/var/eden_colloque/storage/fckeditor/file/Poster%20session_web.pdf (accessed 12 July 2012).
- 1345 Miranda, M.A., Paredes-Esquivel, C. and Anda, P. (2010) Detection and identification of tick-borne bacteria from ticks collected on sheep and vegetation in Majorca Island (Balearic Islands, Spain). Poster presentation to: *EDEN*

- 2010: *Emerging Vector-borne Diseases in a Changing European environment, Montpellier, France, 10-11-12th May 2010*. Poster session, p. 27. Available at: http://international-conference2010.eden-fp6project.net/var/eden_colloque/storage/fckeditor/file/Poster%20session_web.pdf (accessed 12 July 2012).
- 1347 Ciglerová, I., Taragel'ová, V., Derdákova, M., Špitalská, E. and Kazimírová, M. (2010) Vertical distribution of *Ixodes ricinus* tick and pathogens transmitted by them in the Martinské Hole mountains (Central Slovakia). Poster presentation to: *EDEN 2010: Emerging Vector-borne Diseases in a Changing European environment, Montpellier, France, 10-11-12th May 2010*. Poster session abstracts, pp. 29–30. Available at: http://international-conference2010.eden-fp6project.net/var/eden_colloque/storage/fckeditor/file/Poster%20session_web.pdf (accessed 12 July 2012).
- 1348 Geller, J., Katargina, O., Vasilenko, V., Randolph, S. and Golovljova, I. (2010) Detection of tick-borne pathogens in Estonia. Oral presentation to: *EDEN 2010: Emerging Vector-borne Diseases in a Changing European environment, Montpellier, France, 10-11-12th May 2010*. Abstracts of oral presentations, pp. 4–5. Available at: http://international-conference2010.eden-fp6project.net/var/eden_colloque/storage/fckeditor/file/Oral%20presentations_web.pdf (accessed 12 July 2012).
- 1349 Kóci, J., Taragel'ová, V., Derdákova, M., Selyemová, D., Ciglerová, I., Lenčáková, D., Majláthová, V., Víchová, B., Stanko, M., Kazimírová, M. and Labuda, M. (2010) Spatio-temporal distribution of *Ixodes ricinus* ticks and prevalence of tick-borne pathogens in Slovakia. Oral presentation to: *EDEN 2010: Emerging Vector-borne Diseases in a Changing European environment, Montpellier, France, 10-11-12th May 2010*. Abstracts of oral presentations, pp. 5–6. Available at: http://international-conference2010.eden-fp6project.net/var/eden_colloque/storage/fckeditor/file/Oral%20presentations_web.pdf (accessed 12 July 2012).
- 1350 Kondrusik, M., Golovljova, I. and Zajkowska, J. (2010) Genetic characterization of TBE virus obtained from *Ixodes ricinus* and *Dermacentor* ticks. Oral presentation to: *EDEN 2010: Emerging Vector-borne Diseases in a Changing European environment, Montpellier, France, 10-11-12th May 2010*. Abstracts of oral presentations, pp. 6–7. Available at: http://international-conference2010.eden-fp6project.net/var/eden_colloque/storage/fckeditor/file/Oral%20presentations_web.pdf (accessed 12 July 2012).
- 1351 Vatanserver, Z., Midilli, K., Ozdarendeli, E.S., Aktas, M. and Gargili, A. (2010) The prevalence of Crimean-Congo haemorrhagic fever virus in the host seeking ticks in an endemic area of Turkey. Oral presentation to: *EDEN 2010: Emerging Vector-borne Diseases in a Changing European environment, Montpellier, France, 10-11-12th May 2010*. Abstracts of oral presentations, pp. 7–8. Available at: http://international-conference2010.eden-fp6project.net/var/eden_colloque/storage/fckeditor/file/Oral%20presentations_web.pdf (accessed 12 July 2012).
- 1352 Heyl, J., de Mendonça, P.G., Mogl, C., Harsch, A., Boje, J. and Pfister, K. (2010) Infestation with ticks and prevalence of *Anaplasma phagocytophilum* in roe deer in Germany. Oral presentation to: *EDEN 2010: Emerging Vector-borne Diseases in a Changing European environment, Montpellier, France, 10-11-12th May 2010*. Abstracts of oral presentations, p. 18. Available at: http://international-conference2010.eden-fp6project.net/var/eden_colloque/storage/fckeditor/file/Oral%20presentations_web.pdf (accessed 12 July 2012).
- 1353 Sayın, F., Nalbantoğlu, S., Yukarı, B.A., Çakmak, A. and Karaer, Z. (2009) Epidemiological studies on sheep and goat *Theileria* infection. *Ankara Üniversitesi Veteriner Fakültesi Dergisi* 56, 127–129.
- 1354 Cabassi, C.S., Taddei, S., Donofrio, G., Ghidini, F., Piancastelli, C., Flammini, C. and Cavirani, S. (2006) Association between *Coxiella burnetii* seropositivity and abortion in dairy cattle of northern Italy. *New Microbiologica* 29, 211–214.
- 1398 Filippova, N.A. (1961) Larvae and nymphs of the subfamily Ornithodorinae (Ixodoidea, Argasidae) in the fauna of the Soviet Union. *Parazitologicheskii Sbornik Zoologicheskogo Institut Akademi i Nauk SSSR (Moskva)* 20, 148–184.
- 1399 Estrada-Peña, A., Vatanserver, Z., Gargili, A., Aktas, M., Uzun, R., Ergönül, Ö., Jongejan, F. (2008) Modeling the spatial distribution of Crimean-Congo hemorrhagic fever outbreaks in Turkey. *Vector-Borne Zoonotic Diseases* 7, 667–678.
- 1400 Hemorrhagic fever – Russia (Rostov, Stavropol) (02). Promed report 19990722.1238, Available at: www.promedmail.org (accessed on 6 June 2010).
- 1401 Crimean-Congo hemorrhagic fever – Russia (Kalmykia). Promed report 20000608.0921, Available at: www.promedmail.org (accessed on 6 June 2010).
- 1402 Crimean-Congo hemorrhagic fever – Yugoslavia (Kosovo). Promed report 20000711.1151, Available at: www.promedmail.org (accessed on 6 June 2010).
- 1403 Crimean-Congo hemorrhagic fever – Russia (Stavropol and Dagestan) (02) Promed report 20010508.0890, Available at: www.promedmail.org (accessed on 6 June 2010).
- 1404 Crimean-Congo hemorrhagic fever – Russia: update June 2001. Promed report 20010626.1209, Available at: www.promedmail.org (accessed on 6 June 2010).
- 1405 Crimean-Congo hemorrhagic fever – Russia (Rostov). Promed report 20050710.1960, Available at: www.promedmail.org (accessed on 6 June 2010).

- 1406 Crimean-Congo hemorrhagic fever – Russia (Southern Federal District). Promed report 20060624.1760, Available at: www.promedmail.org (accessed on 6 June 2010).
- 1407 Crimean-Congo hemorrhagic fever – Russia (Southern Federal District) (02). Promed report 20060708.1873, Available at: www.promedmail.org (accessed on 6 June 2010).
- 1408 Crimean-Congo hemorrhagic fever – Russia (Southern Federal District) (02). Promed report 20060703.1828, Available at: www.promedmail.org (accessed on 6 June 2010).
- 1409 Crimean-Congo hemorrhagic fever – Russia (Stavropol). Promed report 20070512.1522, Available at: www.promedmail.org (accessed on 6 June 2010).
- 1410 Crimean-Congo hemorrhagic fever – Russia (Stavropol) (02). Promed report 20070602.1783, Available at: www.promedmail.org (accessed on 6 June 2010).
- 1411 Crimean-Congo hemorrhagic fever – Russia (Kalmykia, Volgograd). Promed report 20070704.2127, Available at: www.promedmail.org (accessed on 6 June 2010).
- 1412 Crimean-Congo hemorrhagic fever – Bulgaria: (Blagoevgrad), suspected. Promed report 20080425.1444, Available at: www.promedmail.org (accessed on 6 June 2010).
- 1413 Crimean-Congo hemorrhagic fever – Greece (northeast). Promed report 20080703.2033, Available at: www.promedmail.org (accessed on 6 June 2010).
- 1414 Crimean-Congo hemorrhagic fever – Russia (08): (Rostov). Promed report 20080723.2232. Available at: www.promedmail.org (accessed on 6 June 2010).
- 4000 World Animal Health Information Database (WAHID) Interface. Available at: http://www.oie.int/wahis/public.php?page=country_reports, (accessed 5 May 2010).